Anaesthesia, 1983, Volume 38, pages 1251–1286

Author Index, Volume 38 (1983)

c = correspondence; f = forum

ADAMS, A. K. Quality assurance in anaesthesia: editorial, 311
AGGARWAL, A. R. & GARG, R. L. Formalin toxicity in hydatid liver disease, 662
AHMAD, I. *see* SOSIS, M.
AITKENHEAD, A. R. *see* VATER, M.
ALAGESAN, K. Unwanted isolated limb, 1230 (c)
ALBERT, S. N. Inflatable wedges, 294 (c)
ALDERSON, J. D. Spinal cord injuries, 605 (c)
ALEXANDER, M. G. & POTGIETER, P. D. Atypical ventricular tachycardia (*torsade de pointes*). A postoperative enigma, 269
ALLBERRY, R. A. W. *Torsade de pointes*, 910 (c)
ALLT-GRAHAM, J. *see* CLAYTON, D. G.
ANDERSEN, K. H. Air aspirated from the venous system during total hip replacement, 1175
ANDREWS, C. J. H. *see* SEAR, J. W.
APS, C. *see* HEINING, M.
AMRSTRONG, R. F. *see* LAUCKNER, M. E.
ARUNASALAM, K., DAVENPORT, H. T., PAINTER, S. & JONES, J. G. Ventilatory response to morphine in young and old subjects, 529
ASANO, M. *see* TAKASAKI, M.
ASBURY, A. J. *see* RUIZ, K.
AUSTIN, T. R. *see* DAVIES, R.
HOWARD, C. B.
AVELLO, F. *see* GILSANZ, F. J.
AYRES, J. G. *see* BOSCOE, M. J.

BAHAR, M., MCATEER, E., DUNDEE, J. W. & BRIGGS, L. P. Painful intravenous injections of diazepam: a reply, 179 (c)
BAILEY, P. W. & HOWARD, F. A. Epidural analgesia and forceps delivery: laying a bogey, 282 (f)
BAKER, A. B. & MCLEOD, C. Oesophageal multipurpose monitoring probe, 892
BAKER, A. B. *see* COLE, A. G. H.
BAKER, D. J. *see* BULL, P. T.
BALDOCK, G. J. *see* CUNDY, J. M.
BAMBER, P. A. *see* LAWLER, P. G.
BARHAM, C. J. *see* ENDERBY, G. E. H.
BARNES, P. K. & CONWAY, C. M. The Lack system: a further reply, 603 (c)
BAXTER, R. C. H. *see* BOSCOE, M. J.
BEATTY, P. *see* BHACHU, H. S.
BEECHEY, A. P. G. *see* OGG, T. W.
BEGGS, I. *see* LAUCKNER, M. E.
BEJERSTEN, A. *see* OLSSON, G. L.
BENOIT, Y., CHADENSON, O., DUCLOUX, B., VEYSSEYRE, C. M., BRINGUIER, J. P., VEYSSEYRE, C. & DESCOTES, J. Hypersensitivity reactions to Althesin infusion: measurement of complement involvement, 1079
BERTHOUD, M., READ, D. H. & NORMAN, J. Pre-oxygenation—how long?, 96
BETHUNE, D. W. & COLLIS, J. M. Ventilator malfunction—a solution, 910 (c)
BHACHU, H. S., KAY, B., HEALY, T. E. J. & BEATTY, P. Grading of pain and anxiety. Comparison between a linear analogue and a computerised audiovisual analogue scale, 875
BHATE, H. Systemic reaction caused by epidural bupivacaine 0.75%, 71 (c)
BHOGAL, H. *see* BOURKE, A. B.
BILLINGS, J. D. *see* CHISHOLM, R. J.
BION, J. F. An anaesthetist in a camp for Cambodian refugees, 798 (f)
BIRKS, R. J. S., EDBROOKE, D. L. & MUNDY, J. V. B. Etomidate as a sedative agent in patients undergoing hip surgery under epidural anaesthesia, 295 (c)
BISSET, W. I. K. *see* MANN, R. A. M.
BLAKELEY, C. R. & EMBLING, S. A. High frequency venturi jet ventilation, 167 (c)
BLANLOEIL, Y. Anaesthesia in Huntington's chorea: a reply, 66 (c)
BLYTH, D. *see* MAHARAJ, R. J.
BODNER, A. *see* SOSIS, M.

BOLISTON, T. A. Anaesthesia for the insertion of grommets, 179 (c)
BOLWIG, T. G. *see* HUSUM, B.
BONSU, A. K. & STEAD, A. L. Accidental cross-connexion of oxygen and nitrous oxide in an anaesthetic machine, 767
BOOIJ, L. D. J. Problems with atracurium?, 1233 (c)
BORALESSA, H., SENIOR, D. F. & WHITWAM, J. G. Cardiovascular response to intubation. A comparative study of thiopentone and midazolam, 623
BORLAND, C. W., HERBERT, P., PEREIRA, N. H., THORNTON, J. A., WILLIAMS, N. & THORNTON, J. G. Evaluation of a new range of air drawover vaporizers. The 'PAC' series—laboratory and field studies, 852
BOSCOE, M. J. & BAXTER, R. C. H. Failure of anesthetic gas supply, 997 (c)
CALVER, D. M., KEYTE, C. & AYRES, J. G. Quinine overdose. Prevention of visual damage by stellate ganglion block, 669
BOULTON, T. B. Postoperative pain: a reply, 77 (c)
The Junior Anaesthetists Group and its Annual Scientific and General Meeting, 1010 (c)
BOURKE, A. B., HOUSTON, J. R., EL-KHAMISY, S. & BHOGAL, H. Anaesthesia and execution, 395 (c)
BOWEN, D. J. *see* VICKERS, M. D.
BOWES, J. B. *see* PIPPIN, L. K.
BOWIE, R. A. Early recognition of a possible Althesin reaction, 1001 (c)
BRAY, R. J. Postoperative analgesia provided by morphine infusion in children, 1075
BRAYSHAW, S. A. *see* HARPER, N. J. N.
BREHENY, F. X. Anaesthetists and intensive care, 809 (c)
BRIARD, C., CORIAT, P., COMMIN, P., CHOLLET, A., MENASCHE, P. & ECHTER, E. Coronary artery spasm during non-cardiac surgical procedure, 467
BRIGGS, L. P. *see* BAHAR, M.
BRINGUIER, J. P. *see* BENOIT, Y.
BRITTEN, J. J. *see* FERGUSON, A.
BROADWAY, P. J. Electrical disconnexion, 604 (c)
BROCK-UTNE, J. G. & DOWNING, J. W. The effect of 50% nitrous oxide in oxygen on lower oesophageal sphincter tone, 383 (f)
BRODSKY, J. B. *see* SAMUELS, S. I.
BROMAGE, P. R. *see* SCHREINER, E. J.
BROWN, J. M. *see* JUDKINS, K. C.
BROWNE, M. G. Anaesthesia in Huntington's chorea, 65 (c)
BROWNRIDGE, P. Epidural and intrathecal opiates for postoperative pain relief: a more optimistic view, 74 (c)
BUCHMANN, G. *see* HUSUM, B.
BUCHSER, E., CHIOLERO, R., MARTIN, P. & FREEMAN, J. Amiodarone-induced haemodynamic complications during anaesthesia, 1008 (c)
BUCKLEY, F. P., ROBINSON, N. B., SIMONOWITZ, D. A. & DELLINGER, E. P. Anaesthesia in the morbidly obese. A comparison of anaesthetic and analgesic regimens for upper abdominal surgery, 840
BUKHT, D. & LANGFORD, R. M. Airway obstruction after surgery in the neck, 389 (c)
BULL, P. T., MERRILL, S. B., MOODY, R. A., BAKER, D. J., YATES, A., GERAGHTY, I. F., TIGHE, S. Q. M., SQUIRES, S. J. & STOOT, C. J. Anaesthesia during the Falklands campaign. The experience of the Royal Navy, 770
& TIGHE, S. Q. M. Anaesthesia in the South Atlantic, 807 (c)
BULLINGHAM, R. E. S. *see* O'SULLIVAN, G.
BULLOCK, R. E. Training in intensive care, 1222 (c)
BURBIDGE, M. J. & HURST, J. Potential hazard of a gas-scavenger, 1224 (c)
BURN, J. M. B. Independence, 298 (c)
BURT, P. Delayed recovery, 911 (c)
BUSH, G. H. *see* HENNING, R. D.

CAHILL, J., MURPHY, D., O'BRIEN, D., MULHALL, J. & FITZPATRICK, G. Epidural buprenorphine for pain relief after major abdominal surgery. A controlled comparison with epidural morphine, 760
CALHAEM, M. N. An unfortunate incident with etomidate, 393 (c)
CALVER, D. M. *see* BOSCOE, M. J.
CAMPBELL, D. *see* CLARK, C. J.
CAMPBELL, I. T. Gammahydroxybutyrate, 1105 (c)
CAMPORESI, E. M. *see* SCHREINER, E. J.
CARDEN, E. Hyperthermia, 1106 (c)
see also FLETCHER, I. R.
CARLI, F., STRIBLEY, G. C., & CLARK, M. M., Etomidate infusion in thoracic anaesthesia, 784 (f)
CARLSSON, C. *see* MAGNUSSON, J.
CARMICHAEL, D. *see* DAVIES, J. M.
CARRIE, L. E. S. Inflatable wedges: comment, 294 (c)
CARSON, I. W. *see* FLETCHER, I. R.
MIRAKHUR, R. K.
CASALE, F. F. An inflatable 'wedge', 172 (c)

& THOMAS, T. L. Regional hip blockade, 1098 (c)
CASEY, W. F. Neurogenic pulmonary oedema, 985
see also DRAKE-LEE, A. B.
CHADENSEON, O. *see* BENOIT, Y.
CHAKRAVARTY, S. *see* WIG, J.
CHALMERS, P. Etomidate-overdose by continuous infusion, 506 (c)
CHAMNEY, A. R. *see* HOWELLS, T. H.
WRAIGHT, W. J.
CHARTERS, P. Mannitol, osmolality and steroids during renal transplantation. Real and theoretical influences on plasma potassium, 327
CHATRATH, R. R., STOCK, J. G. L. & JONES, O. D. H. Internal jugular catheterisation in small children. The use of a posterior approach, 380 (f)
CHATTERJEE, S. C. & SYED, A. Ketamine and infants, 1007 (c)
CHATTERJI, S., THIND, S. S. & DAGA, S. R. Lignocaine pretreatment for suxamethonium. A clinicobiochemical study, 867
CHIOLERO, R. *see* BUCHSER, E.
CHISHOLM, R. J., DAVIS, F. M., BILLINGS, J. D. & GIBBS, J. M. Narcotics and spasm of the sphincter of Oddi. A retrospective study of operative cholangiograms, 689 (f)
CHOLLET, A. *see* BRIARD, C.
CHRISTENSEN, K. M. *see* HANSEN, E. K.
CLARK, C. J., REID, W. H., TELFER, A. B. M. & CAMPBELL, D. Respiratory inury in the burned patient, 35
CLARK, M. M. *see* CARLI, F.
CLARKE, R. S. J. *see* MIRAKHUR, R. K.
CLAYTON, D. G. & ALLT-GRAHAM, J. Intravenous lignocaine in dental anaesthesia. The effect of pretreatment on the incidence of dysrhythmias, 1066
CLAYTON, K. C. The incidence of Horner's syndrome during lumbar extradural for elective Caesarean section and provision of analgesia during labour, 583 (f)
CLEATON-JONES *see* VIEIRA, E.
CLEMENT, J. A. *see* HILTON, P. J.
COATES, D. P., SANDERS, R. & EDMONDS-SEAL, J. Convulsions following regional hip blockade with bupivacaine and adrenaline, 588 (f)
COCHRANE, T. D. *see* JUDKINS, K. C.
COGHLAN, C. J. An alternative to blind nasal intubation, 819 (c)
COLE, A. G. H., THOMPSON, J. B., FODOR, I. M., BAKER, A. B. & SEAR, J. W. Anaesthetic machine hazard from the Selectatec block, 175 (c)
COLE, M. *see* FAROQUI, M. H.
COLEMAN, P., HUNTER, J. M. & HUNT, D. P. Local reaction following atracurium, 1009 (c)
COLLIER, C. B. Regional block for Ceasarean section, 599 (c)
COLLINS, K. M., WILLATTS, D. G. & GOULDING, C. A. Pain after injection of methohexitone, 1002 (c)
COLLIS, J. M. *see* BETHUNE, D. W.
COMMIN, P. *see* BRIARD, C.
CONACHER, I. D. A useful needle for single-shot thoracic extradurals, 1010 (c)
The urinary catheter as a bronchial blocker, 475
PAES, M. L., JACOBSON, L., PHILLIPS, P. D. & HEAVISIDE, D. W. Epidural analgesia following thoracic surgery. A review of two years' experience, 546
see also JACOBSON, L.
CONDON, H. A. Anaesthesia for pharyngolaryngectomy with extrathoracic oesophagectomy and gastric trasnposition, 512 (c)
CONEJERO, P. *see* GILSANZ, F. J.
CONWAY, C. M. *see* BARNES, P. K.
COOK, J. H. *see* FENECK, R. O.
COOKE, R. *see* YEOMAN, P. M.
COOPER, A. C. *see* JONES, R. M.
COOPER, G. M. *see* KUMAR, V.
SEAR, J. W.
SINCLAIR, M. F.
CORALL, I. M. Isoflurane: the need for new volatile agents: editorial, 1035
Regional anaglesia for Caesarean section: a further comment, 287 (c)
see also WARD, S.
CORIAT, P. *see* BRIARD, C.
COSTELLO, T. G. & FISHER, A. Neurological complications following aortic surgery. Case reports and review of the literature, 230
COX, R. G. & SUMNER, E. Familial dysautonomia, 293 (c)
COZANITIS, D. A., PALOHEIMO, M. & JONES, C. J., Electroencephalographic changes and arousal time after atropine or glycopyrrolate, 581 (f)

CREAN, P. M. *see* FERRES, C. J.
CROSSE, M. M. *see* WILTON, N. C. T.
CUNDY, J. M. Training for safe practice, 389 (c)
& BALDOCK, G. J. Safety check procedures to eliminate faults in anaesthetic meachines: a reply, 177 (c)
& SCOTT, W. E. Sequential use of thiopentone and etomidate in anaesthesia for termination of pregnancy, 155 (f)
see also NEWTON, M.
CUNNINGHAM, A. J. Diazepam and intra-ocular pressure: another comment, 814 (c)
CURRAN, J. *see* FAROQUI, M. H.

DAGA, S. R. *see* CHATTERJI, S.
DALLAS, S. H. Total intravenous anaesthesia, 905 (c)
DAVENPORT, H. T. *see* ARUNASALAM, K.
DAVEY, A. J. & RILEY, B. Mechanical ventilation with air-oxygen mixtures during total intravenous anaesthesia. An evaluation of the Penlon Nuffield Series 400 ventilator, 355
DAVIES, J. M., CARMICHAEL, D. & DYMOND, C. Plasma cholinesterase and trophoblastic disease. Gestational trophoblastic disease and reduced activity of plasma cholinesterase, 1071
DAVIES, R. & AUSTIN, T. R. A cheap and simple nerve stimulator, 1100 (c)
DAVIS, A. G. Regional analgesia for Caesarean section, 286 (c)
DAVIS, F. M. *see* CHISHOLM, R. J.
DAVIS, P. *see* WATSON, D.
DELL, A. E. *see* DUTHIE, A. M.
DELLINGER, E. P. *see* BUCKLEY, F. P.
DENNETT, J. E. *see* DUTHIE, A. M.
DENNISON, B. Regional block for Caesarean section, 998 (c)
DERBYSHIRE, D. R. *see* OKELL, R. W.
DERRINGTON, C. *see* NEWMAN, B.
DESCOITES, J. *see* BENOIT, Y.
DESGRAND, D. A. *see* HUGHES, T. J.
DHAMEE, M. S. Acute cyanide poisoning, 168 (c)
DONAHUE, R. J. & GANDHI, S. K. Unexplained haemoglobinuria associated with extracorporeal circulation, 556
DIAMOND, A. W. Regional hip blockade, 1098 (c)
DINNICK, O. P. & GREENBAUM, R. Anaesthetic machine hazards, 701 (c)
DINSDALE, T. Suxamethonium pains in outpatient children, 291 (c)
DOMANIC, N. *see* HAYWARD, R.
DONAHUE, R. J. *see* DHAMEE, M. S.
DONALD, J. R. Anaesthesia for cystectomy: induced hypotension and blood loss, 69 (c)
DONCHIN, Y. & KATZ, M. An anaesthesia work table, 812 (c)
DONNELLY, B. D. *see* MCAULEY, D. M.
DORE, C. *see* NEWMAN, B.
DOWNING, J. W. *see* BROCK-UTNE, J. G.
DRAKE-LEE, A. B., CASEY, W. F. & OGG, T. W. Anaesthesia for myringotomy. The effect of nitrous oxide and intermittent positive pressure ventilation in children with secretory otitis media, 314
DRUMMOND, G. B. Lung function tests, 907 (c)
& PARK, G. R. Doxapram and postoperative chest complications, 3
DUCLOUX, B. *see* BENOIT, Y.
DUFFY, B. L. Respiratory obstruction after thyroidectomy, 67 (c)
DUKE, R. F. N. & SPREADBURY, T. H. Spinal cord injuries, 507 (c)
DUNCAN, N. H. Unencumbered blind nasal intubation, 1107 (c)
DUNCAN, P. W. A problem with atracurium, 597 (c)
Intravenous regional analgesia, 295 (c)
DUNDEE, J. W. Induction dose of thiopentone: a comment and a reply, 911 (c)
& HASSARD, T. H. The influence of haemoglobin and plasma urea levels on the induction dose of thiopentone, 26
see also BAHAR, M.
HILDEBRAND, P. J.
MCAULEY, D. M.
MIRAKHUR, R. K.
VYAS, A. B.
DUNKIN, L. J. Home ventilatory assistance, 644
DURCAN, J. J. *see* HUDDY, N. C.
DUTHIE, A. M. Pituitary cryoablation, 495
INGHAM, V., DELL, A. E. & DENNETT, J. E. Pituitary cryoablation. The results of treatment using a transphenoidal cryoprobe, 448
see also TODD, J. G.
DUTKIEWICZ, T. W. S. *see* MORGAN, A. J.

DUTTON, D. A., HOTHERSALL, A. P. & MCLAREN, A. D. Empirical protamine dosage, 909 (c)
HOTHERSALL, A. P., MCLAREN, A. D., TAYLOR, K. M. & TURNER, M. A. Protamine titration after cardiopulmonary bypass, 264
DWORACEK, B. *see* RUPREHT, J.
DYE, D. J. A 'closed' method for arterial cannulation, 297 (c)
Arterial cannulation, 1225 (c)
DYKES, M. H. M. *see* OVASSAPIAN, A.
DYMOND, C. *see* DAVIES, J. M.

ECHTER, E. *see* BRIARD, C.
EDBROOKE, D. L. *see* BIRKS, R. J. S.
EDMONDS-SEAL, J. *see* COATES, D. P.
EDRIDGE, A. W. *see* ENDERBY, G. E. H.
EDWARDS, J. C. *see* LEACH, A. B.
READ, D. H.
EINARSSON, P. *see* JONSSON, L. O.
EL HASSAN, K. A technique for blind nasotracheal intubation, 606 (c)
EL-KAHMISY, S. *see* BOURKE, A. B.
ELWOOD, R. J. *see* HILDEBRAND, P. J.
EMBLING, S. A. *see* BLAKELEY, C. R.
EMMETT, C. More trouble with Bier's block, 390 (c)
ENDERBY, G. E. H., EDRIDGE, A. W., PATEL, H. & BARHAM, C. J. New drugs for old, 817 (c)
see also HAYWARD, R.
EPSTEIN, B. S. *see* PATEL, R. I.
ERICSSON, M. *see* TÖRNEBRANDT, K.
EVANS, P. J. D. *see* MOORE, R. A.
EZI-ASHI, T. I., PAPWORTH, D. P. & NUNN, J. F. Inhalational anaesthesia in developing countries. I. The problems and a proposed solution, 729
Inhalational anaesthesia in developing countries. II. Review of existing apparatus, 736

FAIRCLOUGH, J. *see* HOWARD, C. B.
FAMEWO, C. E. Difficult intubation due to a patient's hair style, 165 (c)
FARAG, H. & IBRAHIM, A. W. Early detection of air embolism, 808 (c)
FARAGHER, E. B. *see* WILKINS, R. G.
FAROQUI, M. H., COLE, M. & CURRAN, J. Buprenorphine, benzodiazepines and respiratory depression, 1002 (c)
FARRAR, M. D. *see* NOLTE, H.
FENECK, R. O. & COOK, J. H. Diazepam and intra-ocular pressure: a reply, 815 (c)
Failure of diazepam to prevent the suxamethonium-induced rise in intra-ocular pressure, 120
& SCOTT, W. E. Misconnexion of a cuffed 'speaking' tracheostomy tube. A report of the consequences, and recommendations for future use of similar tracheostomy tubes, 47
FERGUSON, A., WHITTAKER, M., BRITTEN, J. J. & PERRISS, B. W. Suxamethonium apnoea associated with pregnancy and liver dysfunction in a treated cretin, 567
FERRES, C. J., CREAN, P. M. & MIRAKHUR, R. K. An evaluation of Org NC 45 (vecuronium) in paediatric anaesthesia, 943
see also MIRAKHUR, R. K.
FEYCHTING, H. *see* OLSSON, G. L.
FILSHIE, J., GOLDING, S., ROBBIE, D. S. & HUSBAND, J. E. Unilateral computerised tomography guided coeliac plexus block: a technique for pain relief, 498 (f)
FINEGAN, B. A. & MCFARLANE, H. Unusual complication of pulmonary function testing, 178 (c)
see also MCFARLANE, H.
FISHER, A. *see* COSTELLO, T. G.
FITZPATRICK, G. *see* CAHILL, J.
FLETCHER, I. R., CARDEN, E., HEALY, T. E. J. & POOLE, T. R. The MIE Carden ventilator. A description and laboratory assessment, 1082
& CARSON, J. Anaesthesia for carcinoid syndrome, 510
FLOWERDEW, R. M. M. Quality assurance in anaesthesia, 1223 (c)
FODOR, I. M. *see* COLE, A. G. H.
FOOTERMAN, D. S. The use of a whistle discriminator, 672
FORREST, A. L. Buprenorphine and lorazepam, 598 (c)
FORSTER, S. J. Combined subarachnoid and epidural techniques, 72 (c)
FOSTER, J. M. G. Anaesthesia for a patient with familial dysautonomia, 391 (c)
FOX, E. J. The monitor of the future?: editorial, 433
FOX, J. *see* JENKINS, J.
LAYCOCK, J. R. D.
FOZARD, J. R. Anaesthesia and familial hypokalaemic periodic analysis, 293 (c)

FRANCIS, R. I. Intravenous regional anaesthesia, 290 (c)
FRANCIS, R. N. *see* MAILE, C. J. D.
FRASER, A. C. L. & GOAT, V. A. Unrecognised presentation of a meningioma. Delayed recovery after general anaesthesia presenting as a sign of intracranial pathology, 128
FRAZER, J. F. *see* LAWES, E. G.
FREEMAN, J. *see* BUCHSER, E.
FROST, E. A. M. *see* THIAGARAJAH, S.
FRY, E. N. S. Postextubation laryngospasm: cuff deflation, 394 (c)
Postoperative shivering, 172 (c)

GABRIEL, R. W. *see* JEFFS, N. G.
GANDHI, S. K. *see* DHAMEE, M. S.
GARG, R. L. *see* AGGARWAL, A. R.
GARRETT, C. P. O. *see* SHANAHAN, E. C.
GERAGHTY, I. F. *see* BULL, P. T.
GIBBS, J. M. *see* CHISHOLM, R. J.
GIBSON, J. S. *see* MOSS, E.
GIBSON, R. M. *see* MOSS, E.
GILBERTSON, A. A. Monitoring of ventilation: a reply, 606 (c)
Training for intensive care, 702 (c)
GILSANZ, F. J., LUENGO, C., CONEJERO, P., PERAL, P. & AVELLO, F. Cardiomyopathy and phaeochromocytoma, 888
GILSTON, A. Anaesthesia and intensive care. One hat or two?: editorial, 211
Sedation and mechanical ventilation: another myth, 595 (c)
The 'induction' dose of thiopentone, 509 (c)
GLAZEBROOK, C. W. *see* SALT, P. J.
GOAT, V. A. *see* FRASER, A. C. L.
GODDARD, R. H. & HUGHES, D. G. Failed intubation in congenital tracheal stenosis, 346
Lung function tests: a reply, 908 (c)
GOLDING, S. *see* FILSHIE, J.
GOLMON, M. E. *see* OVASSAPIAN, A.
GORDON, H. L. *see* HUNTER, J. M.
GOUDSOUZIAN, N. G. & WELCH, J. Evaluation of a device for the measurement of the evoked tensions of the rectus abdominis muscle, 442
GOULDING, C. A. *see* COLLINS, K. M.
GREENBAUM, R. *see* DINNICK, O. P.
GRÖNROOS, M. *see* SJÖVALL, S.
GROOM, J. *see* HEINING, M.
GULLO, A., ROMANO, E. & MOCAVERO, G. Continuous epidural block in tetanus, 817 (c)

HAIN, W. R. A 'flight' plan for anaesthesia: comment, 390 (c)
Oral ketamine, 810 (c)
Peer modelling and paediatric anaesthesia, 158 (f)
see also YEOMAN, P. M.
HALL, G. M. *see* LACOUMENTA, S.
HANNA, M. H., HEAP, D. G. & KIMBERLEY, A. P. S. Cardiac dysrhythmia associated with general anaesthesia for oral surgery, 1192
HANSEN, E. K. & CHRISTENSEN, K. M. Fatal thrombosis after subclavian catheter, 765
HAMMOND, J. E. Resistance of Enderby tapered tracheal tubes, 1007 (c)
& WARE, R. Hypotension following intravenous cimetidine, 701 (c)
see also JUDKINS, K. C.
MIKHAEL, M.
HARIPARSAD, D. *see* WESLEY, A. G.
HARPER, N. J. N., THOMSON, J. & BRAYSHAW, S. A. Experience with self-administered pethidine with special reference to the general practitioner obstetric unit, 52 (f)
HARRIES, M. G. Portable ventilators under field conditions, 279
HARRIS, T. J. B., PARIKH, N. R., RAO, Y. K. & OLIVER, R. H. P. Exsanguination in a Jehovah's Witness, 989
HARVEY, D. C. Reliability of 'Butterfly' needles during anaesthesia, 1102 (c)
HARVEY, J. *see* KUMAR, V.
HARVEY, P. B. & SMITH, J. A. The prevention of air emboli in hip surgery: a reply, 69 (c)
HASSARD, T. H. *see* DUNDEE, J. W.
HAYWARD, R., DOMANIC, N., ENDERBY, G. E. H. & MCDONALD, L. Anaesthesia in first-degree atrioventricular block: a reply, 508 (c)
HEAP, D. G. *see* HANNA, M. H.
HEALY, T. E. J. *see* BHACHU, H. S.
FLETCHER, I. R.

HEATH, M. L. Safety check procedures to eliminate faults in anaesthetic machines, 297 (c)
HEAVISIDE, D. W. *see* CONACHER, I. D.
HEBDEN, M. W. *see* LATTO, I. P.
HEINING, M., GROOM, J., LUTHMAN, J. & APS, C. Hypotension following cimetidine administration during cardiopulmonary bypass, 260
HELLIWELL, P. J. Suicide amongst anaesthetists in training, 1097
HENNING, R. D. & BUSH, G. H. Dysrhythmias in children: a reply, 297 (c)
HERBERT, P. *see* BORLAND, C. W.
MARSH, D. R. G.
HERRERA-HOYOS, J. O. Surgery under regional analgesia with narcotics as single agents, 509 (c)
HEY, V. M. F., PHILLIPS, K. & WOODS, I. Pethidine, atropine, metoclopramide and the lower oesophageal sphincter, 650
HICKEY, J. *see* READ, D. H.
HILDEBRAND, P. J., ELWOOD, R. J., MCLEAN, E., DUNDEE, J. W. Intramuscular and oral midazolam. Some factors influencing uptake, 1220 (f)
HILLMAN, K., HINDS, C. J. & WILLATTS, S. M. Training in intensive care. A questionnaire to trainees, 540
Pneumoretroperitoneum, 136
HILTON, P. J. & CLEMENT, J. A. Surgical emphysema resulting from a ventilator malfunction, 342
HIMBERG, J-J. *see* SJÖVALL, S.
HINDS, C. J. *see* HILLMAN, K.
THOMAS, D. J. P.
HIRSCH, N. Interscalene block for Colles' fracture: another opinion, 813 (c)
HOFFMAN, S. *see* SHAPIRO, L-A.
HOLASEK, J. *see* IDVALL, J.
HOLDERNESS, M. C. Safety check procedures to eliminate faults in anaesthetic machines, 177 (c)
HOLDSWORTH, J. D. & ROULSTON, R. G. Unusually high block following intrathecal bupivacaine: a reply, 73 (c)
HOTHERSALL, A. P. *see* DUTTON, D. A.
HOUGHTON, A. & TAYLOR, P. B. Problems with high-flow scavenging systems, 292 (c)
HOUSTON, J. R. *see* BOURKE, A. B.
HOWARD, C. B., MACKIE, I. G., FAIRCLOUGH, J. & AUSTIN, T. R. Femoral neck surgery using a local anaesthetic technique, 993 (f)
HOWARD, F. A. *see* BAILEY, P. W.
HOWELL, R. S. C. Pipeline or cylinder?, 604 (c)
HOWELLS, T. H., CHAMNEY, A. R., WRAIGHT, W. J. & SIMONS, R. S. The application of cricoid pressure. An assessment and a survey of its practice, 457
see also WRAIGHT, W. J.
HUDDY, N. C. & DURCAN, J. J. Precipitation between meptazinol and thiopentone, 601 (c)
HUGHES, D. G. *see* GODDARD, R. H.
HUGHES, T. J. & DESGRAND, D. A. Interscalene block for Colle's fracture, 149 (f)
see also MATTHEWS, P. J.
HULL, C. J. Induction dose of thiopentone, 910 (c)
see also JACOBSON, L.
HUMPHREY, D. A new anaesthetic breathing system combining Mapleson A, D and E principles. A simple apparatus for low flow universal use without carbon dioxide absorption, 361
HUNT, D. P. *see* COLEMAN, P.
HUNTER, A. R. Zebulon Mennell. A pioneer of neurosurgical anaesthesia, 1214
Informed consent—new drugs or procedures: editorial, 1155
see also LUNN, J. N.
HUNTER, J. M. & GORDON, H. L. Ethylene glycol poisoning: a comment, 170 (c)
see also COLEMAN, P.
HUNTON, J. & OSWAL, V. H. Anaesthesia for laryngeal microsurgery, 1108 (c)
HURST, J. *see* BURBIDGE, M. J.
HURT, P. G. *see* VATER, M.
HUSBAND, J. E. *see* FILSHIE, J.
HUSUM, B., VESTER-ANDERSEN, T., BUCHMANN, G. & BOLWIG, T. G. Electroconvulsive therapy and intracranial aneurysm. Prevention of blood pressure elevation in a normotensive patient by hydralazine and propranolol, 1205

IBRAHIM, A. W. *see* FARAG, H.
IBSEN, B. Postoperative pain: the value of paravertebral block, 77 (c)
IDVALL, J., HOLASEK, J. & STENBERG, P. Rectal ketamine for induction of anaesthesia in children, 60 (f)
INGHAM, V. *see* DUTHIE, A. M.
INGRAM, G. S. *see* LOWE, S. S.

JACOBS, S., PULLAN, P. T., POTTER, J. M. & SHENFIELD, G. M. Adrenal suppression following extradural steroids, 953
JACOBSON, L., PHILLIPS, P. D., HULL, C. J. & CONACHER, I. D. Extradural versus intramuscular diamorphine. A

controlled study of analgesic and adverse effects in the postoperative period, 10
see also CONACHER, I. D.
JAGO, R. H. & RESTALL, J. Postoperative dreaming. A comparison of the incidence following pentazocine and morphine premedication, 438
JAMES, I. G. Epidermolysis bullosa dystrophica, 1106 (c)
JAMES, M. L. & LING, R. S. M. The prevention of air emboli in hip surgery: is carbon dioxide insufflation necessary?, 68 (c)
JEFFS, N. G. & GABRIEL, R. W. A new use for the 'Aldasorber', 291 (c)
JENKINS, J., FOX, J. & SHARWOOD-SMITH, G. Changes in body heat during transvesical prostatectomy. A comparison of general and epidural anaesthesia, 748
JENNINGS, R. A. *see* OGG, T. W.
JOHNSTONE, R. D. Contents of ampoules, 508 (c)
JONES, A. C. *see* JONES, R. M.
JONES, C. J. *see* CONZANITIS, D. A.
JONES, D., LAURENCE, A. S. & THORNTON, J. A. Total intravenous anaesthesia with etomidate-fentanyl. Use in general and gynaecological surgery, 29
JONES, I. W. Chloroform anaesthesia in Liverpool, 578
JONES, J. G. *see* ARUNASALAM, K.
JONES, O. D. H. *see* CHATRATH, R. R.
JONES, P. L. *see* MECKLENBERGH, J. S.
JONES, R. M. Anaesthesia in first-degree atrioventricular block, 507 (c)
& JONES, A. C. Left ventricular failure in mitral stenosis, 66 (c)
RUTTER, N., COOPER, A. C. & PULLAN, C. R. Pneumothorax in the neonatal period, 948
JONSSON, L. O., EINARSSON, P. & OLSSON, G. L. Subdural haematoma and spinal anaesthesia, 144
JØRGENSEN, S. Possible hazards with an anaesthetic gas scavenging system, 505 (c)
JOWITT, M. D. & KNIGHT, R. J. Anaesthesia during the Falklands campaign. The land battles, 776
JUDKINS, K. C. BOC Boyle M anaesthetic machine—a modification, 387 (c)
BROWN, J. M., COCHRANE, T. D., HAMMOND, J. E. & O'NEILL, T. J. Training in intensive care, 1103 (c)
& SAGE, M. Routine servicing of the Cape-Waine ventilator, 1102 (c)
see also READ, D. M.
JUSTINS, D. M., KNOTT, C., LUTHMAN, J. & REYNOLDS, F. Epidural versus intramuscular fentanyl. Analgesia and pharmacokinetics in labour, 937

KADIEVA, V. S. & VAN HASSELT, C. H. Low dose intrathecal morphine for Caesarean section, 1229 (c)
KANGAS, L. *see* SJÖVALL, S.
KANTO, J. *see* SJÖVALL, S.
KATZ, M. *see* DONCHIN, Y.
KAUFMAN, Z. *see* SHAPIRO, L-A.
KAY, B. Monitoring total intravenous anaesthesia, 1231 (c)
see also BHACHU, M. S.
KEANE, P. W. Insertion of epidural catheters, 701 (c)
KEEN, R. I. Study of comparative morbidity in anaesthetists and other specialists, 806 (c)
KEMP, R. J. *see* ROLLASON, W. N.
KERR, A. R. Induced hypotension, 1101 (c)
KERR, W. J. & VANCE, J. P. Oculocardiac reflex from the empty orbit, 883
KEYTE, C. *see* BOSCOE, M. J.
KIMBERLEY, A. P. S. An unusual fate for an oral premedicant, 697 (c)
see also HANNA, M. H.
KING, S. J. *see* SNOWDON, S. L.
KNEESHAW, J. D. A pulsemeter hazard, 1231 (c)
KNELL, P. J. W. Total intravenous anaesthesia by an intermittent technique. Use of methohexitone, ketamine and a muscle relaxant, 586 (f)
KNIGHT, R. J. *see* JOWITT, M. D.
KNOTT, C. *see* JUSTINS, D. M.
KONICHEZKY, S., SAGUIB, S. & SOROKER, D. Tracheal puncture. A complication of percutaneous internal jugular vein cannulation, 572
KRISHNAMURTHY, K. *see* WIG, J.
KRUCHEK, D. *see* MILLER, R.
KUBOTA, Y. Pre-operative chest X-ray in the supine position, 165 (c)
KUMAR, R. *see* RASTOGI, V.
KUMAR, V., HARVEY, J. & COOPER, G. M. Dose obesity affect recovery? A study using intravenous methohexitone and Althesin for short procedures, 968
see also SEAR, J. W.
KVARSTEIN, B. *see* SUNDNES, K. O.

LACOUMENTA, S. & HALL, G. M. A burst oxygen pipeline, 596 (c)

LAL, A. *see* RASTOGI, V.
LAMONT, A. S. M. Huntington's chorea, 295 (c)
LANGFORD, R. M. *see* BUKHT, D.
LATTO, I. P. & HEBDEN, M. W. Central venous catheter length markings, 171 (c)
see also MECKLENBERGH, J. S.
LAUCKNER, M. E., BEGGS, I. & ARMSTRONG, R. F. The radiological characteristics of bronchopleural fistula following pneumonectomy, 452
LAURENCE, A. S. *see* JONES, D.
LAWES, E. G. & FRAZER, J. F. Temporary anchorage of intravenous giving-sets during cardiopulmonary resuscitation, 1225 (c)
LAWLER, P. G. & BAMBER, P. A. Cyano acrylate cement ('Superglue') for fixation of central venous catheters, 506 (c)
see also MCHUTCHON, A.
LAXENAIRE, M.-C., MONERET-VAUTRIN, D. A. & WATKINS, J. Diagnosis of the causes of anaphylactoid anaesthetic reactions. A report of the recommendations of the joint Anaesthetic and Immuno-allergological Workshop, Nancy, France: 19 March 1982, 147
LAYCOCK, J. R. D. & FOX, J. The monitor of the future, 1226 (c)
LAYMAN, P. R. An alternative to blind nasal intubation, 165 (c)
Blind nasal intubation: a comment, 607 (c)
Bypassing a problem airway, 478
Where the laryngoscope is locked away, 290 (c)
LEACH, A. B., VAN HASSELT, G. L. & EDWARDS, J. C. Cold agglutinins and deep hypothermia, 140
LETT, Z. Anaesthesia for pharyngolaryngectomy with extrathoracic oesophagectomy and gastric transposition, 512 (c)
LEWIS, M., THOMAS, P. & WILKES, R. G. Hypotension during epidural analgesia for Caesarean section. Arterial and central venous pressure changes after acute intravenous loading with two litres of Hartmann's solution, 250
LING, R. S. M. *see* JAMES, M. L.
LINTER, S. P. K. Indwelling urinary catheter at Caesarean section?, 818 (c)
LINTIN, D. J. Painful intravenous injections of diazepam, 179 (c)
LIPSON, S. F. *see* SCHREINER, E. J.
LLOYD, J. W. *see* MOORE, R. A.
LOH, L. Home ventilation: editorial, 621
LORENZ, W. *see* THORNTON, J. A.
LOWE, S. S., MEURER, M., INGRAM, G. S. & THOMAS, D. G. T. Anaesthesia for trigeminal nerve thermocoagulation, 152 (f)
LUENGO, C. *see* GILSANZ, F. J.
LUNN, J. N. *Anaesthesia* 1983: editorial, 1
Anaesthesia and developing countries: editorial, 727
The role of the sub-specialties with training for anaesthesia: editorial, 527
HUNTER, A. R. & SCOTT, D. B. Anaesthesia-related surgical mortality, 1090
LUTHMAN, J. *see* HEINING, M.
JUSTINS, D. M.
LYONS, G. *see* MACDONALD, R.
LYONS, S. M. *see* MIRAKHUR, R. K.
VYAS, A. B.

MCATEER, E. *see* BAHAR, M.
MCAULEY, D. M., MOORE, J., MCCAUGHEY, W., DONNELLY, B. D. & DUNDEE, J. W. Ranitidine as an antacid before elective Caesarean section, 108
MCCARTHY, K. Regional hip blockade, 1098 (c)
MCCAUGHEY, W. *see* MCAULEY, D. M.
MCCLEAN, E. *see* HILDEBRAND, P. J.
MCCLURE, J. H. *see* WILDSMITH, J. A. W.
MCDOWALL, D. G. *see* MOSS, E.
MACDONALD, I. A. *see* OGG, T. W.
MCDONALD, L. *see* HAYWARD, R.
MACDONALD, R. Dr Doughty's technique for the location of the epidural space, 71 (c)
& LYONS, G. Epidural blood patch, 1230 (c)
MACEVILLY, M. & MURPHY, D. Scoliosis correction and epidural anaesthesia: a reply, 392 (c)
MCFARLANE, H. & FINEGAN, B. A. Anaesthesia for transthoracic electrocoagulation, 386 (c)
see also FINEGAN, B. A.
MACKENZIE, N. Phantom limb pain during spinal anaesthesia. Recurrence in amputees, 886
MACKIE, I. G. *see* HOWARD, C. B.
MCHUTCHON, A. & LAWLER, P. G. Bradycardia following atracurium, 597 (c)
MCLAREN, A. D. *see* DUTTON, D. A.
MACLELLAN, F. M. & PARRY, J. W. L. Gammahydroxybutyrate, 598 (c)
MCLELLAN, I. Thiopentone for total intravenous anaesthesia, 1109 (c)

MCLEOD, C. *see* BAKER, A. B.
MCQUAY, H. J. *see* O'SULLIVAN, G.
MACRAE, W. R. Beta-adrenoreceptor blockade and induced hypotension, 1005 (c)
& VICKERS, M. D. New General Dental Council guidance on general anaesthesia and sedation, 805
MCSHANE, A. J. Oxygen flush as a cause of hypoxia, 912 (c)
& WREN, W. S. Codeine phosphate for children, 703 (c)
MADDEN, A. P. *see* STANLEY, O. H.
MAGEE, D. A. Bicornuate uterus and aortocaval compression, 352
MAGNUSSON, J., WERNER, O., CARLSSON, C. & PETERSSON, K. I. Hazards of high dose pentanyl for short procedures: a reply, 1000 (c)
Narcotic antagonism by naloxone. Few side-effects after a short procedure?, 103
MAHARAJ, R. J., WHITTON, I. & BLYTH, D. Emergency extracorporeal oxygenation for an intratracheal foreign body, 471
MAILE, C. J. D. & FRANCIS, R. N. Pre-operative ranitidine. Effect of a single intravenous dose on pH and volume of gastric aspirate, 324
MAJOR, E. A dangerous misconnexion, 908 (c)
& SAVEGE, T. M. Training in intensive care, 1004 (c)
MALCOLM-SMITH, N. A. Scoliosis correction and epidural anaesthesia, 392 (c)
MANN, R. A. M. & BISSET, W. I. K. Anaesthesia for lower limb amputation. A comparison of spinal analgesia and general anaesthesia in the elderly, 1185
MANNERS, J. M. *see* PUTNAM, E. A.
READ, D. H.
MARIAN, P. *see* WARK, H. J.
MARSH, D. R. G. & HERBERT, P. Performance of the EMO inhaler, 575
MARSHALL, A. G. *see* SHANAHAN, E. C.
MARTIN, P. *see* BUCHSER, E.
MATHUR, A. K. *see* WALKER, J. A.
MATSUKI, A. Plasma cholinesterase and cardiopulmonary bypass, 504 (c)
MATTHEWS, P. J. & HUGHES, T. J. Interscalene block for Colles' fracture, 813 (c)
MACKLENBERGH, J. S., LATTO, I. P., JONES, P. L. & SAUNDERS, R. L. Failure of Penlon IDP ventilator alarm, 703 (c)
see also VICKERS, M. D.
MEHTA, D. *see* WIG, J.
MENASCHE, P. *see* BRIARD, C.
MERRILL, S. B. *see* BULL, P. T.
MEURER, M. *see* LOWE, S. S.
MIKHAEL, M. & HAMMOND, J. E. Nitrous oxide and termination of pregnancy, 1103 (c)
MILLER, R. & KRUCHEK, D. An explosive spray, 1101 (c)
MILLIGAN, K. & RODGERS, R. C. Vaporizer failure, 997 (c)
MIMPRISS, T. J. & SPIVEY, A. An effective pulse monitor, 288 (c)
MIRAKHUR, R. K. & DUNDEE, J. W. Glycopyrrolate: pharmacology and clinical use, 1195
LYONS, S. M., CARSON, I. W., CLARKE, R. S. J., FERRES, C. J. & DUNDEE, J. W. Cutaneious reaction after atracurium, 818 (c)
see also FERRES, C. J.
MISHRA, P. & SCOTT, D. L. Difficulty at extubation of the trachea, 811 (c)
MOCAVERO, G. *see* GULLO, A.
MONERET-VAUTRIN, D. A. *see* LAXENAIRE, M.-C.
MOODY, R. A. *see* BULL, P. T.
MOORE, J. *see* MCAULEY, D. M.
MOORE, K. P. Examination of the airway in children, 166 (c)
MOORE, R. A., EVANS, P. J. D., SMITH, R. F. & LLOYD, J. W. Increased cortisol excretion in chronic pain, 788 (f)
see also O'SULLIVAN, G.
MORGAN, A. J. & DUTKIEWICZ, T. W. S. Oral ketamine, 293 (c)
MORGAN, M. Epidural and intrathecal opiates for postoperative pain relief: a reply, 75 (c)
MORGAN, R. J. M. Rapid and safe withdrawal of intravenous papaveretum after prolonged continuous infusion, 492
MORRISON, C. G. *see* OGG, T. W.
MOSKOVITS, P. E. Diazepam and intra-ocular pressure, 814 (c)
MOSS, E., GIBSON, J. S., MCDOWALL, D. G. & GIBSON, R. M. Intensive management of severe head injuries. A scheme of intensive management of severe head injuries, 214
MOYES, D. *see* VIEIRA, E.
MOYLE, J. T. B. *see* STUDD, C.
MULHALL, J. *see* CAHILL, J.
MULROONEY, L. Prevention of aspiration, 996 (c)
MUNDY, J. V. B. *see* BIRKS, R. J. S.
PETERS, C. G.
MURPHY, D. *see* CAHILL, J.
MACEVILLY, M.

NANCEKIEVILL, D. G. An apparatus for the delivery of 50% premixed nitrous oxide and oxygen on demand or by controlled ventilation, 674
NEWMAN, B. Postnatal paraparesis following epidural analgesia and forceps delivery, 350
DERRINGTON, C. & DORE, C. Cardiac output and the recumbent position in late pregnancy, 332
NEWTON, N. & CUNDY, J. M. The ultimate goal?, 906 (c)
NIGHTINGALE, P. J. Barbotage and spinal anaesthesia. The effect of barbotage on the spread of analgesia during isobaric spinal anaesthesia, 7
Barbotage and spinal anaesthesia: a reply, 695 (c)
NIGROVIC, V. Dysrhythmias in children, 296 (c)
NOBIN, A. *see* TÖRNEBRANDT, K.
NOLTE, H. & FARRAR, M. D. Barbotage and spinal anaesthesia, 811 (c)
NORDEN, A. G. *see* SHANAHAN, E. C.
NORMAN, J. *see* BERTHOUD, M.
NOTT, M. R.
NOSAKA, S. *see* YOSHIKAWA, K., 70
NOTT, M. R. & NORMAN, J. The Lack system, 602 (c)
NUNN, J. F. *see* EZI-ASHI, T. I.
NUTBORNE, P. A. *see* SALT, P. J.

O'BRIEN, D. *see* CAHILL, J.
ODOOM, J. A. & SIH, I. L. Epidural analgesia and anticoagulant therapy. Experience with one thousand cases of continuous epidurals, 254
OGG, T. W., JENNINGS, R. A. & MORRISON, C. G. Day-case anaesthesia for termination of pregnancy. Evaluation of a total intravenous anaesthetic technique, 1042
Day-case dental anaesthesia. Evaluation of pre-operative sublingual buprenorthine, 534
see also DRAKE-LEE, A. B.
OH, T. H. *see* PATEL, R. I.
O'KANE, G. J. Inhalation of ammonia vapour. A report on the management of eight patients during the acute stages, 1208
OKELL, R. W. & DERBYSHIRE, D. R. Ethylene glycol poisoning, 168 (c)
O'LEARY, H. T. & TRACEY, J. A. Mediastinal tumours causing airway obstruction: a case in an adult, 67 (c)
OLIVER, R. H. P. *see* HARRIS, T. J. B.
OLSSON, G. L., BEJERSTEN, A., FEYCHTING, H., PALMER, L. & PETTERSSON, B-M. Plasma concentrations of atropine after rectal administration, 1179
see also JONSSON, L. O.
O'NEILL, T. J. *see* JUDKINS, K. C.
ORI, C. & SALAR, G. Is anaesthesia for trigeminal thermocoagulation ever necessary?, 1228 (c)
O'SULLIVAN, G. & BULLINGHAM, R. E. S. Antacid prophylaxis in the pregnant patient, 998 (c)
BULLINGHAM, R. E. S., MCQUAY, H. J., POPPLETON, P., ROLFE, M., WEIR, L. & MOORE, R. A. A comparison of intramuscular and sublingual buprenorphine, intramuscular morphine and placebo as premedication, 977
OSWAL, V. H. *see* HUNTON, J.
OVASSAPIAN, A. Fibre-optic laryngoscopy in acromegaly, 603 (c)
Flexible fiberoptic bronchoscope and double lumen tracheal tube, 1104 (c)
DYKES, M. H. M. & GOLMON, M. E. A training programme for fibreoptic nasotracheal intubation. Use of model and live patients, 795 (f)
OVERTON, J. H. *see* WARK, H. J.
OWEN, H. Postextubation laryngospasm: a reply, 394 (c)

PAES, M. L. *see* CONACHER, I. D.
PAINTER, S. *see* ARUNASALAM, K.
PALMER, L. *see* OLSSON, G. L.
PALOHEIMO, M. *see* COZANITIS, D. A.
PAPWORTH, D. P. High dose buprenorphine for postoperative analgesia, 163 (c)
see also EZI-ASHI, T. I.
PARIKH, N. R. *see* HARRIS, T. J. B.
PARK, G. R. *see* DRUMMOND, G. B.
SALT, P. J.
PARRY, J. W. L. *see* MACLELLAN, F. M.
PATEL, H. *see* ENDERBY, G. E. H.
PATEL, R. I., OH, T. H. & EPSTEIN, B. S. Effects of nitrous oxide on pressure changes of tracheal tube cuffs following inflation with air and saline, 44
PATHER, M. *see* WESLEY, A. G.
PAULL, J. Misleading gauges, 696 (c)
PEGG, M. S. The prevention of air emboli in hip surgery: the value of the capnograph, 68 (c)
PERAL, P. *see* GILSANZ, F. J.
PEREIRA, N. H. *see* BORLAND, C. W.

PERRISS, B. W. *see* FERGUSON, A.
PETERS, C. G. Ilionguinal/iliohypogastric nerve block, 163 (c)
Unusually high block following intrathecal bupivacaine; the need for a test dose, 72 (c)
MUNDY, J. V. B. & RAYNER, P. R. Acute cyanide poisoning: a reply, 168 (c)
PETERSSON, K. I. *see* MAGNUSSON, J.
PETTERSSON, B-M. *see* OLSSON, G. L.
PFITZNER, J. *see* RAINBIRD, A.
PHELAN, D. Anaesthesia and intensive care. One hat or two?, 1003 (c)
PHILLIPS, K. *see* HEY, V. M. F.
PHILLIPS, K. C. & THOMAS, T. A. Second stage of labour with or without extradural analgesia, 972
see also SEAR, J. W.
PHILLIPS, P. D. *see* CONACHER, I. D.
JACOBSON, L.
PIPPIN, L. K., SHORT, D. H. & BOWES, J. B. Long-term tracheal intubation practice in the United Kingdom, 791 (f)
PITHER, C. Horner's syndrome following internal jugular vein cannulation, 171 (c)
PLANT, M. Anaesthesia for pharyngolaryngectomy with extrathoracic oesophagectomy and gastric transposition: a reply, 512 (c)
POOLE, T. R. *see* FLETCHER, I. R.
POPPLETON, P. *see* O'SULLIVAN, G.
POTGIETER, P. D. *see* ALEXANDER, M. G.
POTTER, J. M. *see* JACOBS, S.
PRICE, D. G. Techniques of tracheostomy for intensive care unit patients, 902 (f)
see also WELCH, D. B.
PROCTER, A. J. M. & WHITE, J. B. Laryngeal oedema in pregnancy, 167 (c)
PRYS-ROBERTS, C. *see* SEAR, J. W.
PULLAN, C. R. *see* JONES, R. M.
PULLAN, P. T. *see* JACOBS, S.
PURNELL, R. J. Scoliosis correction and epidural anaesthesia: a reply, 392 (c)
PUTNAM, E. A. & MANNERS, J. M. Vascular resistance during cardiopulmonary bypass. Its effect on cardiac performance in the immediate post-bypass period, 635

RADFORD, P. *see* ROCKE, D. A.
RAINBIRD, A. & PFITZNER, J. Restricted spread of analgesia following epidural blood patch. Case report with a review of possible complications, 481
RAJANNA, P. Failure to produce anaesthesia with ketamine, 698 (c)
RAO, Y. K. *see* HARRIS, T. J. B.
RASTOGI, V., KUMAR, R. & LAL, A. Peripheral nerve stimulator as an aid for therapeutic alcohol blocks, 163 (c)
RAYNER, P. R. *see* PETERS, C. G.
READ, D. H. A nasotracheal tube for faciomaxillary surgery: a reply, 289 (c)
EDWARDS, J. C., JUDKINS, K. C. & HICKEY, J. Nasotracheal tube for faciomaxillary surgery—a follow up, 601 (c)
& MANNERS, J. M. Osmolal excretion after open heart surgery, 1053
see also BERTHOUD, M.
REES, G. M. *see* THOMAS, D. J. B.
REEVE, P. E. Personality characterisitcs of anaesthetists, 395 (c)
REID, W. H. *see* CLARK, C. J.
RESTALL, J. *see* JAGO, R. H.
REYNOLDS, F. Antacids and maternal death: a sacred cow under attack, 391 (c)
Delayed respiratory arrest after bupivacaine, 70 (c)
Regional hip blockade 1098 (c)
see also JUSTINS, D. M.
RICKFORD, W. J. K.
RICKFORD, W. J. K. & REYNOLDS, F. Epidural analgesia in labour and maternal posture, 1169
RIDDELL, G. S. A 'closed' method for arterial cannulation, 699 (c)
RILEY, B. *see* DAVEY, A. J.
ROBBIE, D. S. *see* FILSHIE, J.
ROBINS, D. W. Closed system enflurane in oxygen, 56 (f)
ROBINSON, N. B. *see* BUCKLEY, F. P.
RODGERS, R. C. *see* MILLIGAN, K.
ROCKE, D. A., RADFORD, P. & STEVEN, C. M. Microcomputers and anaesthetists, 174 (c)
see also WESLEY, A. G.
ROLFE, M. *see* O'SULLIVAN, G.
ROLLASON, W. N., KEMP, R. J. & WILLS, L. C. Hypotensive anaesthesia for operations on the ear, nose and parotid gland. Use of intravenous metoprolol as an adjunct to sodium nitroprusside and halothane, 590 (f)
& WILLS, L. C. Induced hypotension: A reply, 1101 (c)
ROMANO, E. *see* GULLO, A.

ROSEN, M. & SLATTERY, P. J. On demand analgesia, 599 (c)
ROSEWARNE, F. A. Self poisoning with formic acid, 1104 (c)
ROSSITER, S. K. An unexpected disconnexion of the gas supply to a Cape Waine 3 ventilator, 180 (c)
ROULSTON, R. G. *see* HOLDSWORTH, J. D.
ROWLANDS, D. E. Atracurium—cutaneous reaction, 1232 (c)
RUIZ, K., ASBURY, A. J. & THORNTON, J. A. Midazolam—does it cause resedation?, 898 (f)
RUPREHT, J. & DWORACEK, B. Postextubation laryngospasm: physostigmine, 394 (c)
RUSSELL, M. *see* SONI, N.
RUSSELL, W. J. Lorazepam as a premedicant for regional anaesthesia, 1062
RUTTER, N. *see* JONES, R. M.
RYAN, D. W. Training in intensive care, 1004 (c)

SAGE, M. *see* JUDKINS, K. C.
SAGUIB, S. *see* KONICHEZKY, S.
SALAR, G. *see* ORI, C.
SALE, J. P. Bronchospasm following the use of atracurium, 511 (c)
Early recognition of a possible Althesin reaction, 508 (c)
Hydrothorax following internal vein cannulation, 1226 (c)
& SKYRME-JONES, S. An unusual case for difficult intubation, 1228 (c)
SALMON, N. P. The role of anaesthetists as seen by nurses in training, 801 (f)
SALT, P. J., NUTBOURNE, P. A., PARK, G. R. & GLAZEBROOK, C. W. Laryngeal oedema after Caesarean section, 693 (c)
SAMUELS, S. I. & BRODSKY, J. B. Anaesthesia for trigeminal thermocoagulation, 912 (c)
SANDERS, R. *see* COATES, D. P.
SAUL, W. P. & WILKINSON, D. J. Amnesia and anaesthesia, 807 (c)
SAUNDERS, R. L. *see* MECKLENBERGH, J. S.
SAVEGE, T. M. *see* MAJOR, E.
SAXTON, H. M. *see* SHAW, P.
SCHREINER, E. J., LIPSON, S. F., BROMAGE, P. R. & CAMPORESI, E. M. Neurological complications following general anaesthesia. Three cases of major paralysis, 226
SCHUTTE, P. K. Anaesthetic manpower, 177 (c)
SCOTT, D. B. & WILSON, J. Insertion of epidural catheters, 1108 (c)
see also LUNN, J. N.
SCOTT, D. L. Hypnosis and the Fellowship of the Faculty of Anaesthetists' examination, 699 (c)
Modification of Macintosh laryngoscope for fibre-optic illumination, 695 (c)
see also MISHRA, P.
SCOTT, W. A. C., WHITWAM, J. G. & WILKINSON, R. T. Choice reaction time. A method of measuring postoperative psychomotor performance decrements, 1162
SCOTT, W. E. *see* CUNDY, J. M.
FENECK, R. O.
SEAR, J. W., COOPER, G. M. & KUMAR, V. The effect of age on recovery, 1158
PHILLIPS, K. C., ANDREWS, C. J. H. & PRYS-ROBERTS, C. Dose-response relationships for infusions of Althesin or methohexitone, 931
& PRYS-ROBERTS, C. Hypersensitivity reactions to infusions of Althesin, 1223 (c)
see also COLE, A. G. H.
SEARLE, J. F. Quotations, 298 (c)
SENIOR, D. F. *see* BORALESSA, H.
SHANAHAN, E. C. A nasotracheal tube for faciomaxillary surgery, 289 (c)
MARSHALL, A. G. & GARRETT, C. P. O. Adverse reactions to intravenous codeine phosphate in children. A report of three cases, 40
& NORDEN, A. G. An unusual presentation of cholinesterase deficiency, 287 (c)
SHAPIRO, L-A., KAUFMAN, Z. & HOFFMAN, S. An unusual method of intra-arterial cannulation, 170 (c)
SHARWOOD-SMITH, G. *see* JENKINS, J.
SHAW, E. A. Mediastinal tumours causing airway obstruction: incidence and diagnosis in children, 66 (c)
SHAW, P. & SAXTON, H. M. Supine position for chest X-ray?, 698 (c)
SHENFIELD, G. M. *see* JACOBS, S.
SHERRY, K. M. *see* WOODS, S. D.
SHORT, D. H. *see* PIPPIN, L. K.
SIH, I. L. *see* ODOOM, J. A.
SIMONOWITZ, D. A. *see* BUCKLEY, F. P.
SIMONS, R. S. *see* HOWELLS, T. H.
SINCLAIR, M. E. & COOPER, G. M. Alfentanil and recovery, 435
SINGH, A. Blind nasal intubation, 607 (c)
SJÖVALL, S., KANTO, J., GRÖNROOS, M., HIMBERG, J-J., KANGAS, L. & VIINAMÄKI, O. Antidiuretic hormone concentrations following midazolam premedication, 1217 (f)
SKINNER, A. C. Glottic illumination by fibrescope, 1100 (c)

SKYRME-JONES, S. *see* SALE, J. P.
SLATTERY, P. J. *see* ROSEN, M.
SLEE, I. P. & TURNER, G. Failure of Penlon IDP ventilator alarm: another opinion, 704 (c)
SMALL, L. F. G. *see* SPURRING, P. W.
SMITH, G. B. Inadvertent dural puncture, 996 (c)
SMITH, H. S. Dangers of heated water blankets and small children, 1006 (c)
SMITH, J. A. *see* HARVEY, P. B.
SMITH, P. J. B. BOC cylinder keys and tight valves, 1232 (c)
SMITH, R. F. *see* MOORE, R. A.
SNOWDON, S. L. Coaxial breathing system, 387 (c)
& KING, S. J. BOC Manley Servovent, 511 (c)
SO, A. P. C. Possible mechanisms for pulmonary oedema in upper airways obstruction, 810 (c)
SONI, N. & RUSSELL, M. Delayed onset spinal after epidural analgesia: a comment and some questions, 74 (c)
SOROKER, D. *see* KONICHEZKY, S.
SOSIS, M., AHMAD, I. & BODNER, A. Hazards of high dose fentanyl for short procedures, 999 (c)
& BODNER, A. Is general anaesthesia becoming obsolete for Caesarean section?, 702 (c)
SPENCE, A. A. *see* TODD, J. G.
SPIVEY, A. *see* MIMPRISS, T. J.
SPREADBURY, T. H. *see* DUKE, R. F. N.
SPURRING, P. W. & SMALL, L. F. G. Breathing system disconnexions and misconnexions. A review of some common causes and some suggestions for improved safety, 683
SQUIRES, S. J. *see* BULL, P. T.
SROCZYNSKI, Z. K. An alternative to blind nasal intubation: a challenge, but for whom?, 692 (c)
STANLEY, O. H. & MADDEN, A. P. A late side effect of the infusion of etomidate, 809 (c)
STEAD, A. L. *see* BONSU, A. K.
STENBERG, P. *see* IDVALL, J.
STEVEN, C. M. *see* ROCKE, D. A.
STEWARD, D. J. Monitoring of ventilation, 606 (c)
STIRT, J. A. Aminophylline may act as a morphine antagonist, 275
STOCK, J. G. L. *see* CHATRATH, R. R.
STONHAM, J. & WAKEFIELD, C. Phaeochromocytoma in pregnancy. Caesarean section under epidural analgesia, 654
STOOT, C. J. *see* BULL, P. T.
STRIBLEY, G. C. *see* CARLI, F.
STUDD, C. & MOYLE, J. T. B. Etomidate—what dose is an overdose?, 908 (c)
SUGG, B. R. An unexpected disconnexion of the gas supply to a Cape Waine 3 ventilator: a response from the manufacturer, 180 (c)
SUMNER, E. *see* COX, R. G.
SUNDNES, K. O., VAAGENES, P. & KVARSTEIN, B. An unusual complication of lithotripsy, 666
SUTCLIFFE, A. J. Less trouble with Bier's block?, 810 (c)
SYED, A. *see* CHATTERJEE, S. C.

TAKASAKI, M. & ASANO, M. Intrathecal morphine combined with hyperbaric tetracaine, 76 (c)
TATTERSALL, M. P. Isobaric bupivacaine and hyperbaric amethocaine for spinal analgesia. A clinical comparison, 115
TAYLOR, K. M. *see* DUTTON, D. A.
TAYLOR, M. B. A suggestion, 906 (c)
TAYLOR, P. B. *see* HOUGHTON, A.
TEIJEN, H. J. *see* VAN DEN HURK, A. W.
TELFER, A. B. M. Training in intensive care, 1004 (c)
see also CLARK, C. J.
THIAGARAJAH, S. & FROST, E. A. M. Anaesthetic considerations in patients with mitral valve prolapse, 560
THIND, G. S. Postextubation laryngospasm: diazepam, 393 (c)
THIND, S. S. *see* CHATTERJI, S.
THOMAS, D. & VAN DER WEYDEN, C. Gum-boot murmur, 1005 (c)
THOMAS, D. G. T. *see* LOWE, S. S.
THOMAS, D. J. B., HINDS, C. J. & REES, G. M. The management of insulin dependent diabetes during cardiopulmonary bypass and general surgery, 1047
THOMAS, P. *see* LEWIS, M.
THOMAS, T. A. *see* PHILLIPS, K. C.
THOMAS, T. L. *see* CASALE, F. F.
THOMSON, D. *see* TÖRNEBRANDT, K.
THOMSON, J. *see* HARPER, N. J. N.
THOMPSON, F. D. Travelling Fellowship—Intensive Care Society—1984, 817 (c)
THOMPSON, J. B. *see* COLE, A. G. H.
THOMPSON, M. C. Coughing on induction with Althesin, 907 (c)

THORNTON, J. A. & LORENZ, W. Histamine and antihistamine in anaesthesia and surgery. Report of a symposium, 373
see also BORLAND, C. W.
JONES, D.
RUIZ, K.
THORNTON, J. G. *see* BORLAND, C. W.
TIGHE, S. Q. M. *see* BULL, P. T.
TODD, J. G., DUTHIE, D. & SPENCE, A. A. Computer-based anaesthetic records, 172 (c)
TOMI, K. *see* YOSHIKAWA, K.
TOMLINSON, A. A. Recessive dystrophic epidermolysis bullosa. The anaesthetic management of a case for major surgery, 485
TÖRNEBRANDT, K., NOBIN, A., ERICSSON, M. & THOMSON, D. Circulation, respiration and serotonin levels in carcinoid patients during neurolept anaesthesia, 957
TRACEY, J. A. *see* O'LEARY, H. T.
TROCH, E. *see* VERHEECKE, G.
TURNER, G. *see* SLEE, I. P.
TURNER, M. A. *see* DUTTON, D. A.

UPPINGTON, J. Epidural analgesia and previous Caesarean section, 336

VAAGENES, P. *see* SUNDNES, K. O.
VANCE, J. P. *see* KERR, W. J.
VANDAM, L. D. Anaesthesia and execution, 816 (c)
VAN DEN HURK, A. W. & TEIJEN, H. J. Cardiac complications during use of etomidate, 1183
VAN DER WEYDEN, C. *see* THOMAS, D.
VAN HASSELT, C. H. *see* KADIEVA, V. S.
VAN HASSELT, G. L. *see* LEACH, A. B.
VATER, M., HURT, P. G. & AITKENHEAD, A. R. Quantitative effects of respired helium and oxygen mixtures on gas flow using conventional oxygen masks, 879
VENN, P. J. H. Pre-oxygenation—how long?, 703 (c)
VERHEECKE, G. Adverse reactions, 597 (c)
& TROCH, E. Ventilator malfunction, 998 (c)
VERMA, R. S. Pentazocine-induced pulmonary oedema, 505 (c)
VESTER-ANDERSEN, T. *see* HUSUM, B.
VEYSSEYRE, C. *see* BENOIT, Y.
VEYSSEYRE, C. M. *see* BENOIT, Y.
VICKERS, M. D. Anaesthetic manpower: a reply, 178 (c)
What next?: editorial, 929
MECKLENBURGH, J. & BOWEN, D. J. Ventilator malfunction?, 1107 (c)
see also MACRAE, W. R.
VIEIRA, E., CLEATON-JONES, P. & MOYES, D. Effects of intermittent 0.5% nitrous oxide/air (v/v) on the fertility of male rats and the post-natal growth of their offspring, 319
VIINAMÄKI, O. *see* SJÖVALL, S.
VYAS, A. B., LYONS, S. M. & DUNDEE, J. W. Continuous intravenous anaesthesia with Althesin for resection of tracheal stenosis, 132

WAKEFIELD, C. *see* STONHAM, J.
WALKER, J. A. & MATHUR, A. K. A bilateral stethoscope, 164 (c)
WALTERS, F. J. M. & WILLATTS, S. M. Intensive management of severe head injuries, 808 (c)
WARD, S. & CORALL, I. M. Hypertension after naloxone, 1000 (c)
WARE, R. *see* HAMMOND, J. E.
WARK, H. J. Postoperative jaundice in children. The influence of halothane, 237
OVERTON, J. H. & MARIAN, P. The safety of atropine premedication in children with Down's syndrome, 871
WATKINS, J. *see* LAXENAIRE, M.-C.
WATSON, B. G. Unilateral cold neck. A new sign of misplacement of the aortic cannula during cardiopulmonary bypass, 659
WATSON, D. & DAVIS, P. Horner's syndrome following internal jugular vein cannulation: a reply, 171 (c)
WEIR, L. *see* O'SULLIVAN, G.
WELCH, D. B. & PRICE, D. G. Acute epiglottitis and severe croup. Experience in two English regions, 754
WELCH, J. *see* GOUDSOUZIAN, N. G.
WELCHEW, E. A. On-demand analgesia. A double-blind comparison of on-demand intravenous fentanyl with regular intramuscular morphine, 19
The optimal concentration for epidural fentanyl. A randomised, double-blind comparison with and without 1:200 000 adrenaline, 1037
WELLER, R. M. Nitrous oxide in Bristol in 1836. A series of lectures by William Herapath (1796–1868), 678

WERNER, O. *see* MAGNUSSON, J.
WESLEY, A. G., HARIPARSAD, D., PATHER, M. & ROCKE, D. A. Labetalol in tetanus. The treatment of sympathetic nervous system overactivity, 243
WHITE, J. B. *see* PROCTER, A. J. M.
WHITTAKER, M. *see* FERGUSON, A.
WHITTON, I. *see* MAHARAJ, R. J.
WHITWAM, J. G. Benzodiazepine receptors: editorial, 93
see also BORALESSA, H.
SCOTT, W. A. C.
WIG, J., CHAKRAVARTY, S., KRISHNAMURTHY, K. & MEHTA, D. Coma following ingestion of halothane. Its successful management, 552
WILDSMITH, J. A. W. & MCCLURE, J. H. Barbotage and spinal anaesthesia, 695 (c)
WILKES, R. G. *see* LEWIS, M.
WILKINS, R. G. & FARAGHER, E. B. Acute renal failure in an intensive care unit: incidence, prediction and outcome, 628
WILKINSON, D. J. *see* SAUL, W. P.
WILKINSON, R. T. *see* SCOTT, W. A. C.
WILLATTS, D. G. *see* COLLINS, K. M.
WILLATTS, S. M. *see* HILLMAN, K.
WALTERS, F. J. M.
WILLIAMS, N. *see* BORLAND, C. W.
WILLS, L. C. *see* ROLLASON, W. N.
WILSON, A. M. A 'flight' plan for anaesthesia, 390 (c)
WILSON, J. *see* SCOTT, D. B.
WILTON, N. C. T. & CROSSE, M. M. Electrocardiographic monitoring, 600
WOODS, I. *see* HEY, V. M. F.
WOODS, S. D. & SHERRY, K. M. A nasotracheal tube for faciomaxillary surgery: another opinion from the same department, 289 (c)
WRAIGHT, W. J., CHAMNEY, A. R. & HOWELLS, T. H. The determination of an effective cricoid pressure, 461
see also HOWELLS, T. M.

YATES, A. *see* BULL, P. T.
YEOMAN, P. M., COOKE, R. & HAIN, W. R. Penile block for cicumcision? A comparison with caudal blockade, 862
YOSHIKAWA, K., TOMI, K. & NOSAKA, S. Obturator nerve block in transurethral resection, 70 (c)

ZIDEMAN, D. A. Cardiopulmonary resuscitation: new methods of improved training?: editorial, 837
ZORAB, J. S. M. Mircocomputers and anaesthesia, 694 (c)
ZYCH, Z. Maternal position during induction of anaesthesia for Caesarean section, 1006 (c)

Subject Index, Volume 38 (1983)

Abdominal surgery, major, comparison of epidural buprenophine and morphine for pain relief after (Cahill *et al.*), 760
upper, comparison of anaesthetic and analgesic regimens for the morbidly obese (Buckley *et al.*), 840
Accidental cross-connexion of oxygen and nitrous oxide in an anaesthetic machine (Bonsu & Stead), 767
Acromegaly and fibreoptic laryngoscopy (Ovassapian), 603 (c)
Adrenal suppression following extradural steroids (Jacobs *et al.*), 953
Adrenaline, convulsions following regional hip blockade with bupivacaine and (Coates, Sanders & Edmonds-Seal), 588 (f)
1:200000, optimum concentration for epidural fentanyl with and without (Welchew), 1037
Adverse reactions (Verheecke), 597 (c)
Age, effect on recovery (Sear, Cooper & Kumar), 1158
Air aspirated from the venous system during total hip replacement (Andersen), 1175
Air drawover vaporizers, new, the 'PAC' series, laboratory and 'field' studies (Borland *et al.*), 852
Air emboli, prevention in hip surgery (Jones & Ling: Pegg: Harvey & Smith), 68 (c)
Air embolism, early detection (Farag & Ibrahim), 808 (c)
Air-oxygen mixtures, mechanical ventilation during total intravenous anaesthesia, use of Penlon Nuffield Series 400 ventilator (Davey & Riley), 355
Airway examination in children (Moore), 166 (c)
obstruction after surgery in the neck (Bukht & Langford), 389 (c)

caused by mediastinal tumours (Shaw: O'Leary & Tracey), 66 (c)
upper, possible mechanisms for pulmonary oedema (So), 810 (c)
problem, bypassing (Layman), 478
Alcohol blocks, therapeutic, peripheral nerve stimulator as an aid (Rastogi, Kumar & Lal), 163
'Aldasorber', a new use (Jeffs & Gabriel), 291 (c)
Alfentanil and recovery (Sinclair & Cooper), 435
Althesin continuous intravenous anaesthesia for resection of tracheal stenosis (Vyas, Lyons & Dundee), 132
induction and coughing (Thompson), 907 (c)
infusions, hypersensitivity reactions (Sear & Prys-Roberts), 1223 (c)
hypersensitivity reactions, measurement of complement involvement (Benoit *et al.*), 1079
and methohexitone, intravenous, use for short procedures in study of obesity and recovery (Kumar, Harvey & Cooper), 968
or methohexitone infusions, dose-response relationships (Sear *et al.*), 931
reaction, early recognition (Bowie), 1001 (c): (Sale), 508 (c)
Amethocaine, hyperbaric, and isobaric bupivacaine for spinal analgesia (Tattersall), 115
Aminophylline may act as a morphine antagonist (Stirt), 275
Amiodarone-induced haemodynamic complications during anaesthesia (Buchser *et al.*), 1008 (c)
Ammonia vapour inhalation, management during acute stages (O'Kane), 1208
Amnesia and anaesthesia (Saul & Wilkinson), 807 (c)
Ampoules, contents (Johnstone), 508 (c)
Amputation, lower limb, comparison of spinal analgesia and general anaesthesia in the elderly (Mann & Bisset), 1185

Anaesthesia 1983 (Lunn), 1
Anaesthesia and amnesia (Saul & Wilkinson), 807 (c)
and developing countries (Lunn), 727
and execution (Bourke *et al.*), 395 (c): (Vandam), 816 (c)
'flight' plan (Wilson: Hain), 390 (c)
and intensive care. One hat or two? (Gilston), 211: (Phelan), 1003 (c)
and microcomputers (Zorab), 694 (c)
quality assurance (Adams), 311: (Flowerdew), 1223 (c)
-related surgical mortality (Lunn, Hunter & Scott), 1090
training, role of sub-specialties (Lunn), 527
Anaesthetic and immuno-allergological Workshop, Nancy, France, 1982, 147
Anaesthetic literature, 205, 301, 419, 517, 608, 724, 726, 826, 918, 1027, 1112, 1240
Anaesthetic machine, accidental cross-connexion of oxygen and nitrous oxide (Bonsu & Stead), 767
BOC Boyle M, a modification (Judkins), 387 (c)
hazard from the Selectatec block (Cole *et al.*), 175 (c)
hazards (Dinnick & Greenbaum), 701 (c)
safety check procedures to eliminate faults (Heath), 297 (c): (Holderness), 177 (c)
Anaesthetic manpower (Schutte: Vickers), 177 (c)
Anaesthetist in a camp for Cambodian refugees (Bion), 798 (f)
Anaesthetists and intensive care (Breheny), 809 (c)
and microcomputers (Rocke, Radford & Steven), 174 (c)
and other specialists, comparative morbidity (Keen), 806 (c)
personality characteristics (Reeve), 395 (c)
role as seen by nurses in training (Salmon), 801 (f)
Anaesthetists-in-training, suicide amongst (Helliwell), 1097
Analgesia during labour, incidence of Horner's syndrome during provision of (Clayton), 583 (f)
on demand (Rosen & Slattery), 599 (c)
and pharmacokinetics in labour, epidural versus intramuscular fentanyl (Justins *et al.*), 937
postoperative, high dose buprenorphine (Papworth), 163 (c)
provided by morphine infusion in children (Bray), 1075
regional, for Caesarean section (Davis: Corall), 286 (c)
surgery under, with narcotics as single agents (Herrera-Hoyos), 509 (c)
restricted spread following epidural blood patch (Rainbird & Pfitzner), 481
see also Epidural and specific agents
Analgesic and anaesthetic regimens compared for upper abdominal surgery for the morbidly obese (Buckley *et al.*), 840
Anaphylactoid anaesthetic reactions, diagnosis of causes (Laxenaire, Moneret-Vautrin & Watkins), 147
Anchorage, temporary, of intravenous giving-sets during cardiopulmonary resuscitation (Lawes & Frazer), 1225 (c)
Antacid prophylaxis in the pregnant patient (O'Sullivan & Bullingham), 978 (c)
Antacids and maternal death: a sacred cow under attack (Reynolds), 391 (c)
Anticoagulant therapy and epidural analgesia (Odoom & Sih), 254
Antidiuretic hormone concentrations following midazolam premedication (Sjövall *et al.*), 1217 (f)

Antihistamine and histamine in anaesthesia and surgery, symposium report (Thornton & Lorenz), 373
Aortic cannula misplacement during cardiopulmonary bypass; unilateral cold neck (Watson), 659
Aortic surgery, neurological complications following (Costello & Fisher), 230
Aortocaval compression and bicornuate uterus (Magee), 352
Apnoea, suxamethonium, associated with pregnancy and liver dysfunction in a treated cretin (Ferguson *et al.*), 567
Arousal time and electroencephalographic changes after atropine or glycopyrrolate (Cozanitis, Paloheimo & Jones), 581 (f)
Arterial cannulation (Dye), 1225 (c)
  'closed' method (Dye), 297: (Riddell), 699 (c)
Aspiration prevention (Mulrooney), 995 (c)
Association of Anaesthetists of Great Britain and Ireland 82, 403, 712, 1013
Association of Anaesthetists of Great Britain and Ireland, Annual Report of Council, 1981–1982, 188
  Junior Anaesthetists' Group, 85, 407, 715, 1015
  Linkmen Annual Conference 1982, 415
Atracurium, bradycardia following (McHutchon & Lawler), 597 (c)
  bronchospasm following (Sale), 511 (c)
  cutaneous reaction after (Mirakhur *et al.*), 818 (c): (Rowlands), 1232 (c)
  local reaction (Coleman, Hunter & Hunt), 1009 (c)
  problems? (Booij), 1233 (c)
  a problem (Duncan), 597 (c)
Atrioventricular block, first degree, anaesthesia (Jones: Hayward *et al.*), 507 (c)
Atropine, electroencephalographic changes and arousal time after (Cozanitis, Paloheimo & Jones), 581 (f)
  pethidine, metoclopramide and the lower oesophageal sphincter (Hay, Phillips & Woods), 650
  plasma concentrations after rectal administration (Olsson *et al.*), 1179
  premedication, safety in children with Down's syndrome (Wark, Overton & Marian), 871
Atypical ventricular tachycardia (*torsade de pointes*): a postoperative enigma (Alexander & Potgieter), 269
Audiovisual reviews
    Clinical physics and measurement. 2nd edition, 402
    Enflurane, 185
    Haemostatic mechanism, 710
    Indicator dilution, 402
    Keeping track on tracrium, 1012
    Nuclear, biological and chemical war for doctors and nurses, 1236
    Planning for a major accident, 1236
    Principles of symptom control in terminal malignant disease, 710
    The chest radiograph in the neonate with respiratory distress, 401
    The use of opiates for pain in terminal malignant disease, 711
    Tracrium—a breakdown breakthrough, 1012
    Transfusion therapy today, 185

Barbotage and spinal anaesthesia (Nightingale), 7: (Nolte & Farrar), 811 (c): (Wildsmith & McClure: Nightingale), 695 (c)
Benzodiazepine receptors (Whitwam), 93
Benzodiazepines, buprenorphine and respiratory depression (Faroqui, Cole & Curran), 1002 (c)
Beta-adrenergic blocker prevents cardiac dysrhythmia associated with general anaesthesia for oral surgery (Hanna, Heap & Kimberley), 1192
Beta-adrenoreceptor block and induced hypotension (MacRae), 1005 (c)
Bicornuate uterus and aortocaval compression (Magee), 352
Bier's block, more trouble (Emmett), 390 (c)
  less trouble with? (Sutcliffe), 810 (c)
Blankets, heated water, dangers for small children (Smith), 1006 (c)
Blood patch, epidural (Macdonald & Lyons), 1230 (c)
  restricted spread of analgesia following (Rainbird & Pfitzner), 481
Blood pressure elevation, ECT-induced, prevention by hydralazine and propranolol (Husum *et al.*), 1205
BOC Boyle M anaesthetic machine, a modification (Judkins), 387 (c)
BOC cylinder keys and tight valves (Smith), 1232 (c)
BOC Manley Servovent (Snowdon & King), 511 (c)
Body heat changes during transvesical prostatectomy, comparison of general and epidural anaesthesia (Jenkins, Fox & Sharwood-Smith), 748
Book reviews
    BAIN & TAYLOR (EDS): *Handbook of intensive care*, 707
    BAKUTIS: *Nurse anesthetists' continuing education review*, 79
    BAUKUTIS: *Self assessment of current knowledge for the nurse anesthetist*, 79
    BARRON (ED): *Anaesthesia and related subjects in orthopaedic surgery*, 80
    BECKWITH (Edited by SPENCE): *Basic electrocardiography and vectorcardiography*, 300

BLITT: *Catheterization techniques for invasive cardiovascular monitoring*, 78
BONICA, LINDBLOM & IGGO (EDS): *Advances in pain research and therapy. Vol. 5*, 820
BROOKS & HARROLD (EDS): *Modern emergency department practice*, 916
BROWN: *Anaesthesia and patient care*, 1011
BROWN, J. R. (ED): *Fluid and blood therapy in anaesthesia*, 915
CARRIE & SIMPSON: *Understanding anaesthesia*, 398
CHALON, ALI, TURNDORF & FISCHGRUND: *Humidification of anaesthetic gases*, 915
CRAWFORD: *Obstetric analgesia and anaesthesia. Current reviews in obstetrics and gynaecology*, 79
DUDRICK *et al.*: *Manual of preoperative and postoperative care*. 3rd ed., 915
FOSTER & JEPSON: *Anaesthesia for operating theatre technicians*. 2nd ed., 822
GRUNDY & GRAVENSTEIN: *The quality of care in anaesthesia*, 514
GUYTON & HALL (EDS): *Cardiovascular physiology IV. International review of physiology, Vol. 26*, 399
HALL & CLARKE: *Veterinary anaesthesia*, 1111
HARTMANN & BROCK (EDS): *Treatment of cerebral edema*, 823
Health equipment information, Evaluation of ECG recorders, 1111
Health equipment information. No. 105, July 1982, 81
HILL & DOLAN: *Intensive care instrumentation*, 399
HOVELL & BATES: *The Hull Royal Infirmary 1782–1982*, 299
HUCH, HUCH, ROOTH, FALLENSTEIN & SCHACHINGER: *A colour atlas of oxygen-cardiorespirograms in newborn infants*, 1012
JACKSON (ED): *Resuscitation*, 822
KAMM, G. & GRAF-BAUMANN: *Anaesthesia notebook for medical auxiliaries with special emphasis on the developing countries*, 80
KAPLAN (ED): *Thoracic anaesthesia*, 820
KATZ (ED): *Seminars in anaesthesia*, 401
KITAHATA & COLLINS (EDS): *Narcotic analgesics in anesthesiology*, 709
LAMBLE (ED): *More about receptors. Current reviews in biomedicine 2*, 81
LEBOWITZ, NEWBERG & GILLETTE (EDS): *Clinical anesthesia procedures of the Massachusetts General Hospital*, 706
LEDINGHAM & HANNING (EDS): *Recent advances in critical care medicine*, 820
MATHER & EDBROOKE: *Basic concepts for operating room and critical care personnel. Emergency care series*, 400
MATHIEU & BURKE: *Infection and the peri-operative period*, 183
NAIR & PRAKASH (EDS): *Computers in critical care and pulmonary medicine. Volumes 1 and 2*, 515
ORKIN & COOPERMAN (EDS): *Complications in anesthesiology*, 1235
PALLIS: *ABC of brain stem death*, 708
PARBROOK & PARBROOK: *Basic physics and measurement in anaesthesia*, 515
PHILLIPS & OGIERS: *Parenteral and enteral nutrition—a practical guide*, 183
PRAKASH (ED): *Applied physiology in clinical respiratory care*, 708
REAM & FOGDALL: *Acute cardiovascular management*, 1011
ROSEN (ED): *Clinics in obstetrics and gynecology*, 397
SAHN (ED): *Pulmonary emergencies*, 1234
SELBY & SCHECHTER: *Aging 2000. A challenge for society*, 81
SHAPIRO, HARRISON & WALTON: *Clinical applications of blood gases*, 516
SHIMOSATO: *Anesthesia and cardiac performance in health and disease*, 914
SLACK & DEKORNFELD: *Anesthesiology, continuing education review*. 2nd ed., 917
SNOW (ED): *Manual of anaesthesia*, 706
SPENCE (ED): *Clinics in critical care medicine. Respiratory monitoring in intensive care*, 299
SPIERDIJK, FELDMAN, MATTIE & STANLEY (EDS): *Developments in drugs used in anaesthesia*, 397
STANLEY & PETTY (EDS): *New anaesthetic agents, devices and monitoring techniques*, 917
STANSKI & WATKINS: *Drug disposition in anaesthesia*, 1110
STOELTING & DIERDORF (EDS): *Anaesthesia and co-existing disease*, 707
SUTCLIFFE: *Handbook of emergency anaesthesia*, 1110
SYKES & ELLIS: *Essays on the first hundred years of anaesthesia. Vol. 3*, 181
TINKER & RAPIN (EDS): *Care of the critically ill patient*, 705
UTLEY: *Pathophysiology and techniques of cardiopulmonary bypass. Vol. 1. Cardiothoracic surgery series*, 182
VOLPITTO & VANDAM: *The genesis of contemporary American anesthesiology*, 516
WALDRON: *Management of epidural analgesia in childbirth*, 709
WATKINS & SALO: *Trauma, stress and immunity in anaesthesia and surgery*, 182
WILSON & MARSDEN (EDS): *Care of the acutely ill and injured*, 398
WOOD & WOOD: *Drugs and anaesthesia—pharmacology for anesthesiologists*, 514
YAO & ARTUSIO, JR: *Anesthesiology. Problem-oriented patient management*, 1234
Boyle M anaesthetic machine, BOC, a modification (Judkins), 387 (c)
Bradycardia following atracurium (McHutchon & Lawler), 597 (c)
Breathing system, coaxial (Snowdon), 387 (c)
combining Mapleson A, D and E principles, for low flow use without carbon dioxide absorption (Humphrey),

361: (Taylor), 906 (c): (Newton & Cundy), 906 (c)
disconnexions and misconnexions, common causes and suggestions for improved safety (Spurring & Small), 683
Bronchial blocker, urinary catheter as (Conacher), 475
Bronchopleural fistula following pneumonectomy, radiological characteristics (Laucknor, Beggs & Armstrong), 452
Bronchoscope, fiberoptic, flexible, and double lumen tracheal tube (Ovassapian), 1104 (c)
Bronchoscopy, flexible, role in burned patient with respiratory injury (Clark *et al.*), 35
Bronchospasm following the use of atracurium (Sale), 511 (c)
Bupivacaine and adrenaline, convulsions following regional hip blockade with (Coates, Sanders & Edmonds-Seal), 588 (f)
delayed respiratory arrest after (Reynolds), 70 (c)
0.75%, epidural, systemic reaction (Bhate), 71 (c)
intrathecal, unusually high block following (Peters: Holdsworth & Roulston), 72 (c)
isobaric, and hyperbaric amethocaine for spinal analgesia (Tattersall), 115
Buprenorphine, benzodiazepines and respiratory depression (Faroqui, Cole & Curran), 1002 (c)
high dose, for postoperative analgesia (Papworth), 163 (c)
intramuscular and sublingual, intramuscular morphine and placebo as premedication, a comparison (O'Sullivan *et al.*), 977
and lorazepam (Forrest), 598 (c)
and morphine, epidural, compared for pain relief after major abdominal surgery (Cahill *et al.*), 760
sublingual, pre-operative, and day-case dental anaesthesia (Ogg *et al.*), 534
Burned patient, role of flexible bronchoscopy for respiratory injury (Clark *et al.*), 35
'Butterfly' needles, reliability during anaesthesia (Harvey), 1102 (c)
Bypassing a problem airway (Layman), 478

Caesarean section, elective, ranitidine as antacid before (McAuley *et al.*), 108
under epidural analgesia; phaeochromocytoma in pregnancy (Stonham & Wakefield), 654
is general anaesthesia becoming obsolete? (Sosis & Bodner), 702 (c)
hypotension during epidural analgesia for (Lewis, Thomas & Wilkes), 250
incidence of Horner's syndrome during lumbar extradural for (Clayton), 583 (f)
indwelling urinary catheter? (Linter), 818 (c)
laryngeal oedema after (Salt *et al.*), 693 (c)
low dose intrathecal morphine (Kadieva & Van Hasselt), 1229 (c)
maternal position during induction of anaesthesia (Zych), 1006 (c)
previous, and epidural analgesia (Uppington), 336
regional analgesia (Davis: Corall), 286 (c)
regional block (Collier), 599 (c): (Dennison), 998 (c)
Cambodian refugee camp, an anaesthetist in (Bion), 798 (f)
Cannulation, arterial (Dye), 1225 (c)
'closed' method (Dye), 297 (c): (Riddell), 699 (c)
internal jugular vein, Horner's syndrome following (Pither), 171 (c)
intra-arterial, an unusual method (Shapiro, Kaufman & Hoffman), 170 (c)
jugular vein, internal, percutaneous, tracheal puncture following (Konichezky, Saguib & Soroker), 572
vein, internal, hydrothorax following (Sale), 1226 (c)
Cape-Waine ventilator, routine servicing (Judkins & Sage), 1102 (c)
unexpected disconnexion of the gas supply (Rossiter: Sugg), 180 (c)
Carcinoid patients, circulation, respiration and serotonin levels during neurolept anaesthesia (Törnebrandt *et al.*), 957
Carcinoid syndrome, anaesthesia (Fletcher & Carson), 510 (c)
Carden ventilator, description and assessment (Fletcher *et al.*), 1082
Cardiac complications during the use of etomidate (Van den Hurk & Teijen), 1183
Cardiac dysrhythmia associated with general anaesthesia for oral surgery; prevention by prophylactic use of oral beta-adrenergic blocker (Hanna, Heap & Kimberley), 1192
Cardiac output and the recumbent position in late pregnancy (Newman, Derrington & Dore), 332
Cardiomyopathy and phaeochromocytoma (Gilsanz *et al.*), 888
Cardiopulmonary bypass and general surgery, management of insulin dependent diabetes during (Thomas, Hinds & Rees), 1047
hypotension following cimetidine administration (Heining *et al.*), 260
protamine titration after (Dutton *et al.*), 264
and unilateral cold neck, a new sign of misplacement of the aortic cannula (Watson), 659
vascular resistance during (Putnam & Manners), 635
Cardiopulmonary resuscitation, new methods or improved training? (Zideman), 837
and temporary anchorage of intravenous giving-sets (Lawes & Frazer), 1225 (c)
Cardiovascular response to intubation; comparison of thiopentone and midazolam (Boralessa, Senior & Whitwam), 623
Catheters, epidural, insertion (Keane), 701 (c): (Scott & Wilson), 1108 (c)

subclavian, causing fatal thrombosis (Hansen & Christensen), 765
urinary, as a bronchial blocker (Conacher), 475
indwelling, at Caesarean section? (Linter), 818 (c)
venous, central, cyano acrylate cement ('Superglue') for fixation (Bamber & Lawler), 506 (c)
length markings (Latto & Hebden), 171 (c)
Catheterization, jugular, internal, in small children, use of posterior approach (Chatrath, Stock & Jones), 380 (f)
Caudal blockade and penile block compared for circumcision (Yeoman, Cooke & Hain), 862
Chest complications, postoperative, and doxapram (Drummond & Park), 3
Chest X-ray, supine position (Shaw & Saxton), 698 (c)
pre-operative, in the supine position (Kubota), 165 (c)
Children, adverse reactions to intravenous codeine phosphate (Shanahan, Marshall & Garrett), 40
airway examination (Moore), 166 (c)
codeine phosphate for (McShane & Wren), 703 (c)
with Down's syndrome, safety of atropine premedication (Wark, Overton & Marian), 871
dysrhythmias (Nigrovic), 296 (c)
outpatient, suxamethonium pains (Dinsdale), 291 (c)
postoperative analgesia provided by morphine infusion (Bray), 1075
postoperative jaundice: influence of halothane (Wark), 237
rectal ketamine for anaesthesia induction (Idvall, Holasek & Stenberg), 60 (f)
with secretory otitis media, anaesthesia for myringotomy, effect of nitrous oxide and intermittent positive pressure ventilation in (Drake-Lee, Casey & Ogg), 314
small, internal jugular catheterisation, use of posterior approach (Chatrath, Stock & Jones), 380 (f)
Chloroform anaesthesia in Liverpool, history (Jones), 578
Choice reaction time. Method of measuring postoperative psychomotor performance decrements (Scott, Whitwam & Wilkinson), 1162
Cholangiogram study, narcotics and spasm of the sphincter of Oddi (Chisholm *et al.*), 689 (f)
Cholinesterase deficiency, an unusual presentation (Shanahan & Norden), 287 (c)
plasma, and cardiopulmonary bypass (Matsuki), 504 (c)
and trophoblastic disease (Davies, Carmichael & Dymond), 1071
Cimetidine administration during cardiopulmonary bypass, and hypotension (Heining *et al.*), 260
Circulation, extracorporeal, unexplained haemoglobinuria associated with (Dhamee, Donahue & Gandhi), 556
respiration and serotonin levels in carcinoid patients during neurolept anaesthesia (Törnebrandt *et al.*), 957
Circumcision, comparison of penile block and caudal blockade (Yeoman, Cooke & Hain), 862
'Closed' method for arterial cannulation (Dye), 297 (c): (Riddell), 699 (c)
Closed system enflurane in oxygen (Robins), 56 (f)
Coaxial breathing system (Snowdon), 387 (c)
Codeine phosphate for children (McShane & Wren), 703 (c)
intravenous, adverse reactions in children (Shanahan, Marshall & Garrett), 40
Coeliac plexus block, unilateral computerised tomography guided, pain relief (Filshie *et al.*), 498
Cold agglutinins and deep hypothermia (Leach, van Hasselt & Edwards), 140
Cold neck, unilateral, a new sign of misplacement of the aortic cannula during cardiopulmonary bypass (Watson), 659
Colles' fractures, interscalene block (Hughes), 149 (f): (Matthews & Hughes: Hirsch), 813 (c)
Coma following ingestion of halothane (Wig *et al.*), 552
Complement system and hypersensitivity reactions to Althesin infusion (Benoit *et al.*), 1079
Complications, cardiac, during use of etomidate (Van den Hurk & Teijen), 1183
haemodynamic, amiodarone-induced, during anaesthesia (Buchser *et al.*), 1008 (c)
of pulmonary function testing (Finegan & McFarlane), 178 (c)
tracheal puncture, of percutaneous internal jugular vein cannulation (Konichezky, Saguib & Soroker), 572
Computer program index, 186, 824, 1238
Computer-based anaesthetic records (Todd, Duthie & Spence), 172 (c)
Computer, *see also* Microcomputer
Computerised tomography guided coeliac plexus block, pain relief (Filshie *et al.*), 498
Congenital tracheal stenosis, failed intubation (Goddard & Hughes), 346
Convulsions following regional hip blockade with bupivacaine and adrenaline (Coates, Sanders & Edmonds-Seal), 588 (f)
Coronary artery spasm during non-cardiac surgical procedure (Briard *et al.*), 467
Cortisol excretion, increased, in chronic pain (Moore *et al.*), 788 (f)
Coughing on induction with Althesin (Thompson), 907 (c)
Courses in Anaesthesia 199, 1022
Cretin, treated, suxamethonium apnoea associated with pregnancy and liver dysfunction in (Ferguson *et al.*), 567
Cricoid pressure application, assessment and survey (Howells *et al.*), 457
determination (Wraight, Chamney & Howells), 461
Cross-connexion, accidental, of oxygen and nitrous oxide in an anaesthetic machine (Bonsu & Stead), 767
Crossword solution, 402

Croup, severe, and acute epiglottitis (Welch & Price), 754
Cryoablation, pituitary, treatment using transphenoidal cryoprobe (Duthie *et al.*), 448
pituitary (Duthie), 495
Cuffed 'speaking' tracheostomy tube, misconnexion of (Feneck & Scott), 47
Cuffs, *see* Tracheal tube cuffs
Cutaneous reaction after atracurium (Mirakhur *et al.*), 818 (c): (Rowlands), 1232 (c)
Cyano acrylate cement ('Superglue') for fixation of central venous catheters (Bamber & Lawler), 506 (c)
Cylinder keys, BOC, and tight valves (Smith), 1232 (c)
Cylinder or pipeline? (Howell), 604 (c)
Cystectomy, anaesthesia (Donald), 69 (c)

Dangers of heated water blankets and small children (Smith), 1006 (c)
Day-case anaesthesia for termination of pregnancy, evaluation of total intravenous technique (Ogg, Jennings & Morrison), 1042
Day-case dental anaesthesia, pre-operative sublingual buprenorphine (Ogg *et al.*), 534
Delivery, forceps, and epidural analgesia, laying a bogey (Bailey & Howard), 282 (f)
and epidural analgesia, postnatal paraparesis following (Newman), 350
Dental anaesthesia, day-case, pre-operative sublingual buprenorphine (Ogg *et al.*), 534
intravenous lignocaine, effect of pretreatment on incidence of dysrhythmias (Clayton & Allt-Graham), 1066
Developing countries, and anaesthesia (Lunn), 727
inhalational anaesthesia in (Ezi-Ashi, Papworth & Nunn), 729, 736
Diabetes, insulin dependent, management during cardiopulmonary bypass and general surgery (Thomas, Hinds & Rees), 1047
Diamorphine, intramuscular versus extradural, for postoperative analgesia (Jacobson *et al.*), 10
Diazepam, failure to prevent the suxamethonium-induced rise in intra-ocular pressure (Feneck & Cook), 120
and intra-ocular pressure (Moskovits: Cunningham: Feneck & Cook), 814 (c)
painful intravenous injections (Lintin), 179 (c)
Disconnexion, electrical (Broadway), 604 (c)
unexpected, of the gas supply to a Cape Waine 3 ventilator (Rossiter: Sugg), 180 (c)
Discriminator whistle use (Footerman), 672
Dose-response relationships for infusions of Althesin or methohexitone (Sear *et al.*), 931
Dr Doughty's technique for location of the epidural space (Macdonald), 71 (c)
Down's syndrome, safety of atropine premedication in children with (Wark, Overton & Marian), 871
Doxapram and postoperative chest complications (Drummond & Park), 3
Dreaming, postoperative, following pentazocine and morphine premedication (Jago & Restall), 438
Drugs, new, for old (Enderby *et al.*), 817
Dural puncture, inadvertent (Smith), 996 (c)
Dysrhythmias in children (Nigrovic), 296 (c)
and dental anaesthesia, effect of intravenous lignocaine pretreatment (Clayton & Allt-Graham), 1066

Ear, nose and parotid gland operations, hypotensive anaesthesia, use of intravenous metoprolol as adjunct to sodium nitroprusside and halothane (Rollason, Kemp & Wills), 590 (f)
Editorials
Anaesthesia 1983 (Lunn), 1
Anaesthesia and developing countries (Lunn), 727
Anaesthesia and intensive care. One hat or two? (Gilston), 211
Benzodiazepine receptors (Whitwam), 93
Cardiopulmonary resuscitation: new methods or improved training? (Zideman), 837
Home ventilation (Loh), 621
Informed consent—new drugs or procedures (Hunter), 1155
Isoflurane: the need for new volatile agents (Corall), 1035
Quality assurance in anaesthesia (Adams), 311
The monitor of the future? (Fox), 433
The role of the sub-specialties with training for anaesthesia (Lunn), 527
What next? (Vickers), 929
Elderly patients, comparison of spinal analgesia and general anaesthesia for lower limb amputation (Mann & Bisset), 1185
Electrical disconnexion (Broadway), 604
Electrocardiographic monitoring (Wilton & Crosse), 600 (c)
Electrocoagulation, transthoracic, anaesthesia for (McFarlane & Finegan), 386 (c)
Electroconvulsive therapy and intracranial aneurysm. Prevention of blood pressure elevation by hydralazine and propranolol (Husum *et al.*), 1205
Electroencephalographic changes and arousal time after atropine or glycopyrrolate (Conzanitis, Paloheimo & Jones), 581 (f)
Emboli, air, prevention in hip surgery (Jones & Ling: Pegg: Harvey & Smith), 68 (c)
early detection (Farag & Ibrahim), 808 (c)

Emergency extracorporeal oxygenation for an intratracheal foreign body (Maharaj, Whitton & Blyth), 471
EMO inhaler performance (Marsh & Herbert), 575
Emphysema, surgical, resulting from a ventilator malfunction (Hilton & Clement), 342
Enderby tapered tracheal tubes, resistance (Hammond & Wright), 1007 (c)
Enflurane, closed system, in oxygen (Robins), 56 (f)
Epidermolysis bullosa, dystrophic, recessive, anaesthetic management (Tomlinson), 485
  dystrophica (James), 1106 (c)
Epidural anaesthesia for hip surgery, use of etomidate as sedative agent (Birks, Edbrooke & Mundy), 295 (c)
  analgesia and anticoagulant therapy (Odoom & Sih), 254
    for Caesarean section, hypotension during (Lewis, Thomas & Wilkes), 250
      phaeochromocytoma in pregnancy (Stonham & Wakefield), 654
    and previous Caesarean section (Uppington), 336
    delayed onset spinal after (Soni & Russell), 74 (c)
    and forceps delivery, laying a bogey (Bailey & Howard), 282 (f)
      postnatal paraparesis following (Newman), 350
    in labour and maternal posture (Rickford & Reynolds), 1169
    and scoliosis correction (Malcolm-Smith: MacEvilly & Murphy: Purnell), 392 (c)
    following thoracic surgery (Conacher *et al.*), 546
  block, continuous, in tetanus (Gullo, Romano & Mocavero), 817 (c)
  blood patch (Macdonald & Lyons), 1230 (c)
    restricted spread of analgesia following (Rainbird & Pfitzner), 481
  bupivacaine 0.75%, systemic reaction (Bhate), 71 (c)
  buprenorphine and morphine compared for pain relief after major abdominal surgery (Cahill *et al.*), 760
  catheters, insertion (Keane), 701 (c): (Scott & Wilson), 1108 (c)
  fentanyl, optimum concentration, comparison with and without 1:200000 adrenaline (Welchew), 1037
  and general anaesthesia, comparision, changes in body heat during transvesical prostatectomy (Jenkins, Fox & Sharwood-Smith), 748
  versus intramuscular fentanyl, analgesia and pharmacokinetics in labour (Justins *et al.*), 937
  and intrathecal opiates for postoperative pain relief (Brownridge: Morgan), 74 (c)
  space, Dr Doughty's technique for location (Macdonald), 71 (c)
  and subarachnoid techniques, combined (Forster), 72 (c)
Epiglottitis, acute, and severe croup (Welch & Price), 754
Ethylene glycol poisoning (Okell & Derbyshire: Hunter & Gordon), 168 (c)
Etomidate, cardiac complications during use (Van den Hurk & Teijen), 1183
  what dose is an overdose? (Studd & Moyle), 908 (c)
  fentanyl, total intravenous anaesthesia, in general and gynaecological surgery (Jones, Laurence & Thornton), 29
  infusion, late side effect (Stanley & Madden), 809 (c)
    in thoracic anaesthesia (Carli, Stribley & Clark), 784 (f)
  overdose by continuous infusion (Chalmers), 506 (c): (Studd & Moyle), 908 (c)
  as sedative in patients undergoing hip surgery under epidural anaesthesia (Birks, Edbrooke & Mundy), 295 (c)
  sequential use with thiopentone in anaesthesia for pregnancy termination (Cundy & Scott), 155 (f)
  an unfortunate incident (Calhaem), 393 (c)
Execution and anaesthesia (Vandam), 816 (c): (Bourke *et al.*), 395 (c)
Explosive spray (Miller & Kruchek), 1101 (c)
Exsanguination in a Jehovah's Witness (Harris *et al.*), 989
Extracorporeal circulation, unexplained haemoglobinuira associated with (Dhamee, Donahue & Gandhi), 556
Extradural analgesia, second stage of labour with or without (Phillips & Thomas), 972
  versus intramuscular diamorphine for postoperative analgesia (Jacobson *et al.*), 10
  steroids, adrenal suppression following (Jacobs *et al.*), 953
  thoracic, single-shot, a useful needle (Conacher), 1010 (c)
  see also Lumbar
Extubation of the trachea, difficulty at (Mishra & Scott), 811 (c)
Eye, *see* Intra-ocular: Orbit

Faciomaxillary surgery, nasotracheal tube, a follow-up (Read *et al.*), 601 (c)
  nasotracheal tube (Shanahan: Woods & Sherry: Read), 289 (c)
Faculty of Anaesthetists of the Royal College of Surgeons of England, 85, 406, 715, 1014
Faculty of Anaesthetists of the Royal College of Surgeons in Ireland, 86, 407, 717, 1015
Failure of Penlon IDP ventilator alarm (Mecklenburgh *et al.*: Slee & Turner), 703 (c)
Falklands Campaign, anaesthesia, 285
  anaesthesia, the land battles (Jowitt & Knight), 776
    the Royal Navy (Bull *et al.*), 770
  see also South Atlantic
Familial dysautonomia (Cox & Sumner), 293 (c)
  anaesthesia (Foster), 391 (c)

Familial hypokalaemic periodic paralysis, and anaesthesia (Fozard), 293 (c)
Fault elimination in anaesthetic machines, safety check procedures (Heath), 297 (c)
in anaesthetic machines, safety check procedures to eliminate (Holderness), 177 (c)
Fellowship of the Faculty of Anaesthetists' examination, and hypnosis (Scott), 700 (c)
Femoral neck surgery using a local anaesthetic technique (Howard *et al.*), 993 (f)
Fentanyl, epidural, optimum concentration, comparision with and without 1:200000 adrenaline (Welchew), 1037
versus intramuscular, analgesia and pharmacokinetics in labour (Justins *et al.*), 937
-etomidate, total intravenous anaesthesia, in general and gynaecological surgery (Jones, Laurence & Thornton), 29
high dose, hazards for short procedures (Sosis, Ahmad & Bodner: Magnusson *et al.*), 999 (c)
intravenous, on-demand, compared with regular intramuscular morphine (Welchew), 19
Fertility of male rats and the post-natal growth of their offspring, effects of intermittent 0.5% nitrous oxide/air (v/v) (Vieira, Cleaton-Jones & Moyes), 319
Fibreoptic bronchoscope, double lumen tracheal tube and (Ovassapian), 1104 (c)
Fibreoptic illumination, modification for Macintosh laryngoscope (Scott), 695 (c)
Fibreoptic laryngoscopy in acromegaly (Ovassapian), 603 (c)
Fibreoptic nasotracheal intubation, training programme, use of model and live patients (Ovassapian, Dykes & Golmon), 795 (f)
Fibrescope, glottic illumination (Skinner), 1100 (c)
'Flight' plan for anaesthesia (Wilson: Hain), 390 (c)
Forceps delivery and epidural analgesia, laying a bogey (Bailey & Howard), 282 (f)
postnatal paraparesis following (Newman), 350
Foreign body, intratracheal, emergency extracorporeal oxygenation for (Maharaj, Whitton & Blyth), 471
Formalin toxicity in hydatid liver disease (Aggarwal & Garg), 662
Formic acid self poisoning (Rosewarne), 1104 (c)

Gammahydroxybutyrate (Campbell), 1105 (c): (MacLennan & Parry), 598 (c)
Gas flow, effects of respired helium and oxygen mixtures, using conventional oxygen masks (Vater, Hurt & Aitkenhead), 879
Gas-scavenger, potential hazard (Burbidge & Hurst), 1224 (c)
Gas scavenging system, anaesthetic, possible hazards (Jørgensen), 505 (c)
Gas supply, anaesthetic, failure (Boscoe & Baxter), 997 (c)
to a Cape Waine 3 ventilator, an unexpected disconnexion (Rossiter: Sugg), 180 (c)
Gastric aspirate, effect of single intravenous dose of pre-operative ranitidine on pH and volume (Maile & Francis), 324
Gastric transposition, pharyngolaryngectomy with extrathoracic oesophagectomy and, anaesthesia for (Condon: Lett: Plant), 512 (c)
Gauges, misleading (Paull), 696 (c)
General anaesthesia, is it becoming obsolete for Caesarean section? (Sosis & Bodner), 702 (c)
comparison with spinal analgesia for lower limb amputation in the elderly (Mann & Bisset), 1185
delayed recovery and unrecognized presentation of meningioma (Fraser & Goat), 128
and epidural anaesthesia, comparison, changes in body heat during transvesical prostatectomy (Jenkins, Fox & Sharwood-Smith), 748
neurological complications following (Schreiner *et al.*), 226
for oral surgery, prevention of cardiac dysrhythmia by prophylactic use of oral beta-adrenergic blocker (Hanna, Heap & Kimberley), 1192
and sedation, new General Dental Council guidance (MacRae & Vickers), 805
General Dental Council, new guidance on general anaesthesia and sedation (MacRae & Vickers), 805
General practitioner obstetric unit and self-administered pethidine (Harper *et al.*), 52 (f)
Glottic illumination by fibrescope (Skinner), 1100 (c)
Glycopyrrolate, electroencephalographic changes and arousal time after (Cozanitis, Paloheimo & Jones), 581 (f)
pharmacology and clinical use (Mirakhur & Dundee), 1195
Grading of pain and anxiety, linear analogue and computerised audiovisual analogue scales (Bhachu *et al.*), 875
Grommet insertion, anaesthesia for (Boliston), 179 (c)
Gum-boot murmur (Thomas & Van Der Weyden), 1005 (c)
Gynaecological surgery, total intravenous anaesthesia with etomidate-fentanyl (Jones, Laurence & Thornton), 29

Haemodynamic complications, amiodarone-induced, during anaesthesia (Buchser *et al.*), 1008 (c)
Haemoglobin, influence on induction dose of thiopentone (Dundee & Hassard), 26
Haeoglobinuria, unexplained, associated with extracorporeal circulation (Dhamee, Donahue & Gandhi), 556
Hair style causing difficult intubation (Famewo), 165 (c)
Halothane ingestion, coma following, management (Wig *et al.*), 552
and sodium nitroprusside, use of intravenous metoprolol as adjunct to, in hypotensive anaesthesia for operations on the ear, nose and parotid gland (Rollason, Kemp & Wills), 590 (f)
Hartmann's solution, and hypotension during epidural analgesia for Caesarean section (Lewis, Thomas & Wilkes), 250

Hazard Notices, 310, 607, 825
Hazards with an anaesthetic gas scavenging system (Jørgensen), 505 (c)
of anaesthetic machines (Dinnick & Greenbaum), 701 (c)
of a gas-scavenger (Burbidge & Hurst), 1224 (c)
of high dose fentanyl for short procedures (Sosis, Ahmad & Bodner: Magnusson *et al.*), 999 (c)
pulsemeter (Kneeshaw), 1231 (c)
from the Selectatec block (Cole *et al.*), 175 (c)
Head injuries, severe, intensive management scheme (Moss *et al.*), 214: (Willatts & Walters), 808 (c)
Heart surgery, open, osmolal excretion after (Reed & Manners), 1053
Heated water blankets and small children, dangers (Smith), 1006 (c)
Helium, effects on gas flow using conventional oxygen masks (Vater, Hurt & Aitkenhead), 879
High frequency venturi jet ventilation (Blakeley & Embling), 167 (c)
Hip regional blockade (Diamond: McCarthy: Casale & Thomas: Reynolds), 1098 (c)
with bupivacaine and adrenaline, convulsions following (Coates, Sanders & Edmonds-Seal), 588 (f)
Hip replacement, total, air aspirated from the venous system (Andersen), 1175
Hip surgery under epidural anaesthesia, etomidate as sedative agent (Birks, Edbrooke & Mundy), 295 (c)
prevention of air emboli (Jones & Ling: Pegg: Harvey & Smith), 68 (c)
Histamine and antihistamine in anaesthesia and surgery, symposium report (Thornton & Lorenz), 373
History, chloroform anaesthesia in Liverpool (Jones), 578
nitrous oxide in Bristol in 1836 (Weller), 678
Zebulon Mennell, pioneer of neurological anaesthesia (Hunter), 1214
Home ventilation (Loh), 621
Home ventilatory assistance (Dunkin), 644
Horner's syndrome, incidence during lumbar extradural for elective Caesarean section and provision of analgesia during labour (Clayton), 583 (f)
following internal jugular vein cannulation (Pither), 171 (c)
Huntington's chorea (Lamont), 295 (c)
anaesthesia (Browne: Blanloeil), 65 (c)
Hydatid liver disease and formalin toxicity (Aggarwal & Garg), 662
Hydralazine and propranolol, use in prevention of blood pressure elevation due to electroconvulsive therapy (Husum *et al.*), 1205
Hydrothorax following internal vein cannulation (Sale), 1226 (c)
Hypersensitivity reactions to infusions of Althesin (Sear & Prys-Roberts), 1223 (c)
measurement of complement involvement (Benoit *et al.*), 1079
Hypertension after naloxone (Ward & Corall), 1000 (c)
Hyperthermia (Carden), 1106 (c)
Hypnosis and the Fellowship of the Faculty of Anaesthetists' examination (Scott), 700 (c)
Hypokalaemic periodic paralysis, familial, and anaesthesia (Fozard), 293 (c)
Hypotension during epidural analgesia for Caesarean section (Lewis, Thomas & Wilkes), 250
following cimetidine administration during cardiopulmonary bypass (Heining *et al.*), 260
following intravenous cimetidine (Hammond & Ware), 701 (c)
induced (Kerr: Rollason & Wills), 1101 (c)
and beta-adrenoreceptor block (MacRae), 1005 (c)
Hypotensive anaesthesia for operations on the ear, nose and parotid gland; use of intravenous metoprolol as adjunct to sodium nitroprusside and halothane (Rollason, Kemp & Wills), 590 (f)
Hypothermia, deep, and cold agglutinins (Leach, van Hasselt & Edwards), 140
Hypoxia, oxygen flush as a cause (McShane), 912 (c)

Ilioinguinal/iliohypogastric nerve block (Peters), 163 (c)
Independence (Brown), 298 (c)
Induction dose of thiopentone, influence of haemoglobin and plasma urea levels (Dundee & Hassard), 26
Infants and ketamine (Chatterjee & Syed), 1007 (c)
Inflatable 'wedge' (Casale), 172 (c): (Albert: Carrie), 294 (c)
Inhalational anaesthesia in developing countries (Ezi-Ashi, Papworth & Nunn), 729, 736
Inhaler, EMO, performance (Marsh & Herbert), 575
Insulin dependent diabetes, management during cardiopulmonary bypass and general surgery (Thomas, Hinds & Rees), 1047
Intensive care and anaesthesia. One hat or two? (Gilston), 211: (Phelan), 1003 (c)
and anaesthetists (Breheny), 809 (c)
patients, tracheostomy techniques (Price), 902 (f)
Society, Travelling Fellowship, 1984 (Thompson), 817 (c)
training (Bullock), 1222 (c): (Gilbertson), 702 (c): (Judkins *et al.*), 1103 (c): (Major & Savege: Telfer: Ryan), 1004 (c)
a questionnaire to trainees (Hillman, Hinds & Willatts), 540
unit, acute renal failure in; incidence, prediction and outcome (Wilkins & Faragher), 628
Intensive management of severe head injuries (Willatts & Walters), 808 (c)

Intermittent 0.5% nitrous oxide/air (v/v), effects on fertility of male rats and the post-natal growth of their offspring (Vieira, Cleaton-Jones & Moyes), 319
Intermittent positive pressure ventilation and nitrous oxide, anaesthesia for myringotomy, effects in children with secretory otitis media (Drake-Lee, Casey & Ogg), 314
Intermittent technique for total intravenous anaesthesia using methohexitone, ketamine and a muscle relaxant (Knell), 586 (f)
Internal jugular catheterisation in small children, use of posterior approach (Chatrath, Stock & Jones' 380 (f)
International Congress Calendar 89, 413, 721, 1020
International news 89, 413, 720, 1019
Interscalene block for Colles' fractures (Hughes), 149 (f): (Matthews & Hughes: Hirsch), 813 (c)
Intra-arterial cannulation, an unusual method (Shapiro, Kaufman & Hoffman), 170 (c)
Intracranial aneurysm and electroconvulsive therapy. Prevention of blood pressure elevation by hydralazine and propranolol (Husum *et al.*), 1205
Intramuscular versus epidural fentanyl, analgesia and pharmacokinetics in labour (Justins *et al.*), 937
  versus extradural diamorphine for postoperative analgesia (Jacobson *et al.*), 10
  morphine, regular, compared with on-demand intravenous fentanyl (Welchew), 19
  and oral midazlolam. Some factors influencing uptake (Hildebrand *et al.*), 1220 (f)
  and sublingual buprenorphine, intramuscular morphine and placebo as premedication, a comparison (O'Sullivan *et al.*), 977
Intra-ocular pressure and diazepam (Moskovits: Cunningham: Feneck & Cook), 814 (c)
  failure of diazepam to prevent suxamethonium-induced rise (Feneck & Cook), 120
Intrathecal bupivacaine, unusually high block following (Peters: Holdsworth & Roulston), 72 (c)
  and epidural opiates for postoperative pain relief (Brownridge: Morgan), 74 (c)
  morphine combined with hyperbaric tetracaine (Takasaki & Asano), 76 (c)
    low dose, for Caesarean section (Kadieva & Van Hasselt), 1229 (c)
Intratracheal foreign body, emergency extracorporeal oxygenation for (Maharaj, Whitton & Blyth), 471
Intravenous anaesthesia, continuous, with Althesin, for resection of tracheal stenosis (Vyas, Lyons & Dundee), 132
    total (Dallas), 905 (c)
      with etomidate-fentanyl, in general and gynaecological surgery (Jones, Laurence & Thornton), 29
      monitoring (Kay), 1231 (c)
      the Penlon Nuffield Series 400 ventilator for mechanical ventilation with air-oxygen mixtures during (Davey & Riley), 355
      thiopentone (McLellan), 1109 (c)
      by an intermittent technique using methohexitone, ketamine and a muscle relaxant (Knell), 586 (f)
  anaesthetic technique, total, day-case anaesthesia for termination of pregnancy (Ogg, Jennings & Morrison), 1042
  cimetidine, hypotension following (Hammond & Ware), 701 (c)
  codeine phosphate, adverse reactions in children (Shanahan, Marshall & Garrett), 40
  fentanyl, on-demand, compared with regular intramuscular morphine (Welchew), 19
  giving-sets, temporary anchorage during cardiopulmonary resuscitation (Lawes & Frazer), 1225 (c)
  injections, painful, of diazepam (Lintin), 179 (c)
  lignocaine in dental anaesthesia, effect of pretreatment on incidence of dysrhythmias (Clayton & Allt-Graham), 1066
  methohexitone and Althesin used for short procedures in study of obesity and recovery (Kumar, Harvey & Cooper), 968
  metoprolol used as adjunct to sodium nitroprusside and halothane in hypotensive anaesthesia for operations on the ear, nose and parotid gland (Rollason, Kemp & Wills), 590 (f)
  papaveretum, rapid and safe withdrawal after prolonged continuous infusion (Morgan), 492
  ranitidine, pre-operative, effect of single dose on pH and volume of gastric aspirate (Maile & Francis), 324
  regional anaesthesia (Francis), 290 (c): (Duncan), 295 (c)
Intubation, cardiovascular response; comparison of thiopentone and midazolam (Boralessa, Senior & Whitwam), 623
  difficult, due to a patient's hair style (Famewo), 165 (c)
    an unusual cause (Sale & Skyrme-Jones), 1228 (c)
  failed, in congenital tracheal stenosis (Goddard & Hughes), 346
  nasal, blind (Singh: Layman), 607 (c)
    an alternative to (Layman), 165 (c): (Sroczynski), 692 (c)
    unencumbered (Duncan), 1107 (c)
  nasotracheal, blind, technique for (El Hassan), 606 (c)
    fibreoptic, training programme using model and live patients (Ovassapian, Dykes & Golmon), 795 (f)
  tracheal, long-term practice in the United Kingdom (Pippin, Short & Bowes), 791 (f)
Isolated limb, unwanted (Alagesan), 1230 (c)

Jaundice, postoperative, in children: influence of halothane (Wark), 237
Jehovah's Witness, exsanguination (Harris *et al.*), 989
Junior Anaesthetists Group and its Annual Scientific and General Meeting (Boulton), 1010 (c)

Jugular catheterisation, internal, in small children, use of posterior approach (Chatrath, Stock & Jones), 380 (f)
Jugular vein cannulation, internal, Horner's syndrome following (Pither), 171 (c)
percutaneous, tracheal puncture complication following (Konichezky, Saguib & Soroker), 572

Ketamine, failure to produce anaesthesia (Rajanna), 698 (c)
and infants (Chatterjee & Syed), 1007 (c)
methohexitone and a muscle relaxant, use in intermittent technique for total intravenous anaesthesia (Knell), 586 (f)
oral (Hain), 810 (c): (Morgan & Dutkiewicz), 293 (c)
rectal, for induction of anaesthesia in children (Idvall, Holasek & Stenberg), 60 (f)

Labetalol in tetanus (Wesley *et al.*), 243
Labour, analgesia and pharmacokinetics, epidural versus intramuscular fentanyl (Justins *et al.*), 937
epidermal analgesia and maternal posture (Rickford & Reynolds), 1169
incidence of Horner's syndrome during provision of analgesia (Clayton), 583 (f)
second stage with or without extradural analgesia (Phillips & Thomas), 972
Lack system (Nott & Norman: Barnes & Conway), 602 (c)
Laryngeal microsurgery, anaesthesia (Hunton & Oswal), 1108 (c)
Laryngeal oedema after Caesarean section (Salt *et al.*), 693 (c)
in pregnancy (Proctor & White), 167 (c)
Laryngoscope, Macintosh, modification for fibreoptic illumination (Scott), 695 (c)
where it is locked away (Layman), 290 (c)
Laryngoscopy, fibreoptic, in acromegaly (Ovassapian), 603 (c)
Laryngospasm, postextubation (Thind: Rupreht & Dworacek: Fry: Owen), 393 (c)
Lignocaine, intravenous, in dental anaesthesia, effect of pretreatment on incidence of dysrhythmias (Clayton & Allt-Graham), 1066
pretreatment for suxamethonium, clinicobiochemical study (Chatterji, Thind & Daga), 867
Limb, isolated, unwanted (Alagesan), 1230 (c)
Lithotripsy complication, unusual (Sundnes, Vaagenes & Kvarstein), 666
Liver disease, hydatid, and formalin toxicity (Aggarwal & Garg), 662
dysfunction in a treated cretin, suxamethonium apnoea associated with pregnancy and (Ferguson *et al.*), 567
Liverpool, history of chloroform anaesthesia (Jones), 578
Local anaesthetic technique used in femoral neck surgery (Howard *et al.*), 993 (f)
Local reaction following atracurium (Coleman, Hunter & Hunt), 1009 (c)
Lower oesophageal sphincter tone, effect of 50% nitrous oxide in oxygen (Brock-Utne & Downing), 383 (f)
Lorazepam and buprenorphine (Forrest), 598 (c)
as a premedicant for regional anaesthesia (Russell), 1062
Lumbar extradural for elective Caesarean section, incidence of Horner's syndrome during (Clayton), 583 (f)
Lung function tests (Drummond) 907 (c): (Hughes & Goddard), 907 (c)

Macintosh laryngscope, modification for fibreoptic illumination (Scott), 695 (c)
Manley Servovent, BOC (Snowdon & King), 511 (c)
Mannitol, osmolality and steroids during renal transplantation, influences on plasma potassium (Charters), 327
Manpower, anaesthetic (Schutte: Vickers), 177 (c)
Mapleson A, D and E principles combined in new anaesthetic breathing system, for low flow use without carbon dioxide absorption (Humphrey), 361: (Taylor), 906 (c): (Newton & Cundy), 906 (c)
Maternal death and antacids: a sacred cow under attack (Reynolds), 391 (c)
Maternal position during induction of anaesthesia for Caesarean section (Zych), 1006 (c)
Maternal posture and epidural analgesia during labour (Rickford & Reynolds), 1169
Mediastinal tumours causing airway obstruction (Shaw: O'Leary & Tracey), 66 (c)
Meningioma, unrecognised presentation as delayed recovery after general anaesthesia (Fraser & Goat), 128
Meptazinol and thiopentone, precipitation between (Huddy & Durcan), 601 (c)
Methohexitone and Althesin, intravenous, use for short procedures in study of obesity and recovery (Kumar, Harvey & Cooper), 968
or Althesin infusions, dose-response relationships (Sear *et al.*), 931
ketamine and a muscle relaxant used in intermittent technique for total intravenous anaesthesia (Knell), 586 (f)
pain after injection (Collins, Willatts & Goulding), 1002 (c)
Metoclopramide, pethidine, atropine and the lower oesophageal sphincter (Hey, Phillips & Woods), 650
Metoprolol, intravenous, used as adjunct to sodium nitroprusside and halothane in hypotensive anaesthesia for operations on the ear, nose and parotid gland (Rollason, Kemp & Wills), 590 (f)
Microcomputers and anaesthesia (Zorab), 694 (c)
and anaesthetists (Rocke, Radford & Steven), 174 (c)
Microsurgery, laryngeal, anaesthesia (Hunton & Oswal), 1108 (c)

Midazolam compared with thiopentone; cardiovascular response to intubation (Boralessa, Senior & Whitwam), 623
does it cause resedation? (Ruiz, Asbury & Thornton), 898 (f)
intramuscular and oral, some factors influencing uptake (Hildebrand *et al.*), 1220 (f)
premedication and subsequent antidiuretic hormone concentrations (Sjövall *et al.*), 1217 (f)
MIE Carden ventilator, description and assessment (Fletcher *et al.*), 1082
Misconnexion, dangerous (Major), 908 (c)
and disconnexions of breathing systems, common causes and suggestions for improved safety (Spurring & Small), 683
Mitral stenosis, left ventricular failure (Jones & Jones), 66 (c)
Mitral valve prolapse, anaesthetic considerations (Thiagarajah & Frost), 560
Monitor of the future? (Fox), 433: (Laycock & Fox), 1226 (c)
Monitoring, electrocardiographic (Wilton & Crosse), 600 (c)
probe, oesophageal, multipurpose (Baker & McLeod), 892
total intravenous anaesthesia (Kay), 1231 (c)
of ventilation (Steward & Gilbertson), 606 (c)
Morbidity in anaesthetists and other specialists (Keen), 806 (c)
Morbidly obese, anaesthesia in, comparison of anaesthetic and analgesic regimens for upper abdominal surgery (Buckley *et al.*), 840
Morphine antagonist, aminophylline may act as (Stirt), 275
infusion for postoperative analgesia in children (Bray), 1075
intramuscular, regular, compared with on-demand intravenous fentanyl (Welchew), 19
sublingual and intramuscular buprenorphine and placebo as premedication, a comparison (O'Sullivan *et al.*), 977
intrathecal, combined with hyperbaric tetracaine (Takasaki & Asano), 76 (c)
low dose, for Caesarean section (Kadieva & Van Hasselt), 1229 (c)
and pentazocine premedication, postoperative dreaming and (Jago & Restall), 438
ventilatory response in young and old subjects (Arunasalam *et al.*), 529
Mortality, surgical, anaesthesia-related (Lunn, Hunter & Scott), 1090
Muscle relaxant, methohexitone and ketamine, use in intermittent technique for total intravenous anaesthesia (Knell), 586 (f)
Myringotomy anaesthesia, effect of nitrous oxide and intermittent positive pressure ventilation in children with secretory otitis media (Drake-Lee, Casey & Ogg), 314

Naloxone, hypertension after (Ward & Corall), 1000 (c)
narcotic antagonism by (Magnusson *et al.*), 103
Narcotic antagonism by naloxone (Magnusson *et al.*), 103
Narcotics as single agents for surgery under regional analgesia (Herrera-Hoyos), 509 (c)
and spasm of the sphincter of Oddi, operative cholangiogram study (Chisholm *et al.*), 689 (f)
Nasal intubation, blind (Singh: Layman), 607 (c)
an alternative (Coghlan), 819 (c): (Layman), 165 (c): (Sroczynski), 692 (c)
unencumbered (Duncan), 1107 (c)
Nasotracheal intubation, blind, technique for (El Hassan), 606 (c)
fibreoptic, training programme, use of model and live patients (Ovassapian, Dykes & Golmon), 795 (f)
tube for faciomaxillary surgery (Shanahan: Woods & Sherry: Read), 289 (c)
a follow-up (Read *et al.*), 601 (c)
National and local events 88, 411, 719, 1017
Neck surgery, airway obstruction after (Bukht & Langford), 389 (c)
femoral, using a local anaesthetic technique (Howard *et al.*), 993 (f)
see also Cold neck
Needles, 'Butterfly', reliability during anaesthesia (Harvey), 1102 (c)
for single-shot thoracic extradurals (Conacher), 1010 (c)
Neonatal period, pneumothorax in (Jones *et al.*), 948
Nerve stimulator, cheap and simple (Davies & Austin), 1100 (c)
peripheral, as an aid for therapeutic alcohol blocks (Rastogi, Kumar & Lal), 163 (c)
Neurogenic pulmonary oedema (Casey), 985
Neurolept anaesthesia, circulation, respiration and serotonin levels in carcinoid patients during (Törnebrandt *et al.*), 957
Neurological complications following aortic surgery (Costello & Fisher), 230
following general anaesthesia (Schreiner *et al.*), 226
News and Notices 82, 403, 712, 1013
Nitrous oxide, 0.5%, /air (v/v), intermittent, effects on fertility of male rats and the post-natal growth of their offspring (Vieira, Cleaton-Jones & Moyes), 319
in Bristol in 1836—a series of lectures by William Herapath (Weller), 678
effects on pressure changes of tracheal tube cuffs following inflation with air and saline (Patel, Oh & Epstein), 44

and intermittent positive pressure ventilation, and myringotomy anaesthesia, effects in children with secretory otitis media (Drake-Lee, Casey & Ogg), 314
and oxygen accidental cross-connexion in an anaesthetic machine (Bonsu & Stead), 767
50% premixed, apparatus for delivery on demand or by controlled ventilation (Nancekievill), 674
50% in oxygen, effect on lower oesophageal sphincter tone (Brock-Utne & Downing), 383 (f)
and pregnancy termination (Mikhael & Hammond), 1103 (c)
Nose operations, hypotensive anaesthesia, use of intravenous metoprolol as adjunct to sodium nitroprusside and halothane (Rollason, Kemp & Wills), 590 (f)
Nurses in training, role of anaesthetists as seen by (Salmon), 801 (f)

Obesity and anaesthesia, comparison of anaesthetic and analgesic regimens for upper abdominal surgery (Buckley *et al.*), 840
and recovery, study using intravenous methohexitone and Althesin for short procedures (Kumar, Harvey & Cooper), 968
Obituaries
Blackburn, F. H. 1013
Braithwaite, S. G. 82
Burnett, R. 403
Cole, W. H. J. 1013
Desai, S. H. 82
Doherty, W. F. M. 82
Fraser, A. C. 712
Fry, D. E. 82
Griffith, G. E. 1013
Hadfield, D. J. 82
Hayes, C. 403
Laird, S. M. 82
McNeilly, J. A. 1013
Raventos, J. 712
Roberts, R. B. 712
Sharp, I. L. 403
Tessensohn, M. A. 82
Tindal, A. 1013
Obstetric unit, general practitioner, and self-administered pethidine (Harper *et al.*), 52 (f)
Obturator nerve block in transurethral resection (Yoshikawa, Tomi & Nosaka), 70 (c)
Oculocardiac reflex from the empty orbit (Kerr & Vance), 883
Oddi sphincter spasm, and narcotics, operative cholangiogram study (Chisholn *et al.*), 689 (f)
Oesophageal multipurpose monitoring probe (Baker & McLeod), 892
Oesophageal sphincter, lower, effects of pethidine, atropine and metoclopramide (Hey, Phillips & Woods), 650
tone, effect of 50% nitrous oxide in oxygen (Brock-Utne & Downing), 383 (f)
Oesophagectomy, extrathoracic, and gastric transposition, pharyngolaryngectomy with, anaesthesia for (Condon: Lett: Plant), 512 (c)
Old and young subjects, ventilatory response to morphine (Arunasalam *et al.*), 529
On-demand analgesia (Rosen and Slattery), 599 (c)
comparison of on-demand intravenous fentanyl with regular intramuscular morphine (Welchew), 19
Opiates, epidural and intrathecal, for postoperative pain relief (Brownridge: Morgan), 74 (c)
Oral and intramuscular midazolam, some factors influencing uptake (Hildebrand *et al.*) 1220 (f)
ketamine (Hain), 810 (c): (Morgan & Dutkiewicz), 293 (c)
premedicant, unusual fate for (Kimberley), 697 (c)
surgery, cardiac dysrhythmia associated with general anaesthesia; prevention by prophylactic use of oral beta-adrenergic blocker (Hanna, Heap & Kimberley), 1192
Orbit, empty, and oculocardiac reflex (Kerr & Vance), 883
Org NC 45 *see* Vecuronium
Osmolal excretion after open heart surgery (Read & Manners), 1053
Osmolality, mannitol and steroids during renal transplantation, influences on plasma potassium (Charters), 327
Outpatient children, suxamethonium pains (Dinsdale), 291 (c)
Oxygen, closed system enflurane in (Robins), 56 (f)
flush as a cause of hypoxia (McShane), 912 (c)
and helium mixtures, effects on gas flow using conventional oxygen masks (Vater, Hurt & Aitkenhead), 879
and nitrous oxide accidental cross-connexion in an anaesthetic machine (Bonsu & Stead), 767
50% nitrous oxide in, effect on lower oesophageal sphincter tone (Brock-Utne & Downing), 383 (f)
pipeline, burst (Lacoumenta & Hall), 596 (c)
Oxygenation, extracorporeal, emergency, for an intratracheal foreign body (Maharaj, Whitton & Blyth), 471

'PAC' series of air drawover vaporizers, laboratory and 'field' studies (Borland *et al.*), 852

Paediatric anaesthesia, evaluation of Org NC 45 (vecuronium) (Ferres, Crean & Mirakhur), 943
and peer modelling (Hain), 158 (f)
Pain and anxiety, grading, linear analogue and computerised audiovisual analogue scales (Bhachu *et al.*), 875
after injection of methohexitone (Collins, Willatts & Goulding), 1002 (c)
chronic, increased cortisol excretion in (Moore *et al.*), 788 (f)
phantom limb, during spinal anaesthesia, recurrence in amputees (Mackenzie), 886
postoperative, a new approach (Ibsen: Boulton), 77 (c)
relief after major abdominal surgery, comparison of epidural buprenorphine and morphine (Cahill *et al.*), 760
postoperative, epidural and intrathecal opiates (Brownridge: Morgan), 74 (c)
by unilateral computerised tomography guided coeliac plexus block (Filshie *et al.*), 498 (f)
Pains, suxamethonium, in outpatient children (Dinsdale), 291 (c)
Painful intravenous injections of diazepam (Lintin), 179 (c)
Papaveretum, intravenous, rapid and safe withdrawal after prolonged continuous infusion (Morgan), 492
Paralysis following general anaesthesia (Schreiner *et al.*), 226
Paraparesis, postnatal, following epidural analgesia and forceps delivery (Newman), 350
Parotid gland operations, hypotensive anaesthesia, use of intravenous metoprolol as adjunct to sodium nitroprusside and halothane (Rollason, Kemp & Wills), 590 (f)
Peer modelling and paediatric anaesthesia (Hain), 158 (f)
Penile block for circumcision, comparison with caudal blockade (Yeoman, Cooke & Hain), 862
Penlon IDP ventilator, failure of alarm (Mecklenburgh *et al.*): (Slee & Turner), 703 (c)
Penlon Nuffield Series 400 ventilator, use for ventilation with air-oxygen mixtures during total intravenous anaesthesia (Davey & Ridley), 355
Pentazocine and morphine premedication, postoperative dreaming and (Jago & Restall), 438
-induced pulmonary oedema (Verma), 505 (c)
Percutaneous internal jugular vein cannulation, tracheal puncture complication following (Konichezky, Saguib & Soroker), 572
Peripheral nerve stimulator as an aid for therapeutic alcohol blocks (Rastogi, Kumar & Lal), 163 (c)
Personality characteristics of anaesthetists (Reeve), 395 (c)
Pethidine, atropine, metoclopramide and the lower oesophageal sphincter (Hey, Phillips & Woods), 650
self-administered, and general practitioner obstetric unit (Harper *et al.*), 52 (f)
Phaeochromocytoma and cardiomyopathy (Gilsanz *et al.*), 888
in pregnancy; Caesarean section under epidural analgesia (Stonham & Wakefield), 654
Phantom limb pain during spinal anaesthesia, recurrence in amputees (Mackenzie), 886
Pharmacokinetics and analgesia in labour, epidural versus intramuscular fentanyl (Justins *et al.*), 937
Pharyngolaryngectomy with extrathoracic oesophagectomy and gastric transposition, anaesthesia for (Condon: Lett: Plant:), 512 (c)
Pipeline or cylinder? (Howell), 604 (c)
oxygen, burst (Lacoumenta & Hall), 596 (c)
Pituitary cryoablation (Duthie), 495
treatment using transphenoidal cryoprobe (Duthie *et al.*), 448
Plasma cholinesterase and cardiopulmonary bypass (Matsuki), 504 (c)
and trophoblastic disease (Davies, Carmichael & Dymond), 1071
concentratons of atropine after rectal administration (Olsson *et al.*), 1179
potassium, mannitol, osmolality and steroids during renal transplantation (Charters), 327
urea levels, influence on induction dose of thiopentone (Dundee & Hassard), 26
Pneumonectomy, radiological characteristics of bronchopleural fistula following (Lauckner, Beggs & Armstrong), 452
Pneumoretroperitoneum (Hillman), 136
Pneumothorax in the neonatal period (Jones *et al.*), 948
Poisoning, cyanide, acute (Dhamee: Peters, Mundy & Rayner), 168 (c)
ethylene glycol (Okell & Derbyshire: Hunter & Gordon), 168 (c)
self, with formic acid (Rosewarne), 1104 (c)
Postextubation laryngospasm (Thind: Rupreht & Dworacek: Fry: Owen), 393 (c)
Postnatal paraparesis following epidural analgesia and forceps delivery (Newman), 350
Postoperative analgesia, extradural versus intramuscular diamorphine (Jacobson *et al.*), 10
high dose buprenorphine (Papworth), 163 (c)
provided by morphine infusion in children (Bray), 1075
chest complications, and doxapram (Drummond & Park), 3
dreaming, following pentazocine and morphine premedication (Jago & Restall), 438
enigma: atypical ventricular tachycardia (*torsade de pointes*) (Alexander & Potgieter), 269
jaundice in children, influence of halothane (Wark), 237
pain relief, epidural and intrathecal opiates (Brownridge: Morgan), 74 (c)
a new approach (Ibsen: Boulton), 77 (c)
psychomotor performance decrements, method of measurement (Scott, Whitwam & Wilkinson), 1162
shivering (Fry), 172 (c)

Posterior approach to internal jugular catheterisation in small children (Chatrath, Stock & Jones), 380 (f)
Posture and epidural analgesia during labour (Rickford & Reynolds), 1169
Potassium, mannitol, osmolality and steroids during renal transplantation (Charters), 327
Precipitation between meptazinol and thiopentone (Huddy & Durcan), 601 (c)
Pregnancy, late, recumbent position and cardiac output (Newman, Derrington & Dore), 332
  laryngeal oedema (Proctor & White), 167 (c)
  and liver dysfunction in a treated cretin, suxamethonium apnoea associated with (Ferguson *et al.*), 567
  phaeochromocytoma in; Caesarean section under epidural analgesia (Stonham & Wakefield) 654
  termination, day-case anaesthesia, evaluation of total intravenous technique (Ogg, Jennings & Morrison), 1042
    and nitrous oxide (Mikhael & Hammond), 1103 (c)
    sequential use of thiopentone and etomidate in anaesthesia (Cundy & Scott), 155 (f)
Pregnant patient, antacid prophylaxis (O'Sullivan & Bullingham), 998 (c)
Premedication, atropine, safety in children with Down's syndrome (Wark, Overton & Marian), 871
  a comparison of intramuscular and sublingual buprenorphine, intramuscular morphine and placebo (O'Sullivan *et al.*), 977
  lorazepam, for regional anaesthesia (Russell), 1062
  with midazolam and subsequent antidiuretic hormone concentrations (Sjövall *et al.*), 1217 (f)
  oral, unusual fate for (Kimberley), 697 (c)
  with pentazocine and morphine, postoperative dreaming and (Jago & Restall), 438
Pre-operative chest X-rays in the supine position (Kubota), 165 (c)
  ranitidine, effect of single intravenous dose on pH and volume of gastric aspirate (Maile & Francis), 324
  sublingual buprenorphine, day-case dental anaesthesia (Ogg *et al.*), 534
Pre-oxygenation—how long? (Berthoud, Read & Norman), 96: (Venn), 703 (c)
Pressure changes of tracheal tube cuffs following inflation with air and saline, effects of nitrous oxide (Patel, Oh & Epstein), 44
Propranolol and hydralazine, use in prevention of blood pressure elevation due to electroconvulsive therapy (Husum *et al.*), 1205
Prostatectomy, transvesical, changes in body heat, comparison of general and epidural anaesthesia (Jenkins, Fox & Sharwood-Smith), 748
Protamine dosage, empirical (Kneeshaw *et al.*: Dutton, Hothersall & McLaren), 909 (c)
  titration after cardiopulmonary bypass (Dutton *et al.*), 264
Psychomotor performance decrements, postoperative, method of measurement (Scott, Whitwam & Wilkinson), 1162
Pulmonary function testing, unusual complication (Finegan & McFarlane), 178 (c)
  oedema, neurogenic (Casey), 985
    pentazocine-induced (Verma), 505 (c)
    in upper airway obstruction, possible mechanisms (So), 810 (c)
Pulse monitor, effective (Mimpriss & Spivey), 288 (c)
Pulsemeter hazard (Kneeshaw), 1231 (c)

Quality assurance in anaesthesia (Adams), 311: (Flowerdew), 1223 (c)
Quinine overdose, prevention of visual damage by stellate ganglion block (Boscoe *et al.*), 669
Quotations (Searle), 298 (c)

Radiological characteristics of bronchopleural fistula following pneumonectomy (Lauckner, Begga & Armstrong), 452
Ranitidine as an antacid before elective Caesarean section (McAuley *et al.*), 108
  pre-operative, effect of single intravenous dose on pH and volume of gastric aspirate (Maile & French), 324
Rats, male, effects of intermittent 0.5% nitrous oxide/air (v/v) on their fertility and the post-natal growth of their offspring (Vieira, Cleaton-Jones & Moyes), 319
Recessive dystrophic epidermolysis bullosa, anaesthetic management (Tomlinson), 485
Records, anaesthetic, computer-based (Todd, Duthie & Spence), 172 (c)
Recovery and alfentanil (Sinclair & Cooper), 435
  delayed (Burt), 911 (c)
    after general anaesthesia presenting as sign of intracranial pathology (Fraser & Goat), 128
  effect of age (Sear, Cooper & Kumar), 1158
  and obesity, study using intravenous methohexitone and Althesin for short procedures (Kumar, Harvey & Cooper), 968
Rectal administration of atropine, and plasma concentrations (Olsson *et al.*), 1179
Rectal ketamine for induction of anaesthesia in children (Idvall, Holasek & Stenberg), 60 (f)
Rectus abdominis muscle, tension measurements (Goudsouzian & Welch), 442
Refugee camp, Cambodian, an anaesthetist in (Bion), 798 (f)
Regional anaesthesia, intravenous (Francis), 290
  lorazepam as premedicant (Russell), 1062
Regional analgesia for Caesarean section (Davis: Corall), 286 (c)
  intravenous (Duncan), 295 (c)

surgery under, with narcotics as single agents (Herrera-Hoyos), 509 (c)
Regional block for Caesarean section (Collier), 599 (c): (Dennison), 998 (c)
Regional hip blockade (Diamond: McCarthy: Casale & Thomas: Reynolds), 1098 (c)
with bupivacaine and adrenaline, convulsions following (Coates, Sanders & Edmonds-Seal), 588 (f)
Renal failure, acute, in an intensive care unit: incidence, prediction and outcome (Wilkins & Faragher), 628
transplantation, mannitol, osmolality and steroids during; influences on plasma potassium (Charters), 327
Resedation, is it caused by midazolam? (Ruiz, Asbury & Thornton), 898 (f)
Resistance of Enderby tapered tracheal tubes (Hammond & Wright), 1007 (c)
Respiration, circulation and serotonin levels in carcinoid patients during neurolept anaesthesia (Törnebrandt *et al.*), 957
Respiratory arrest, delayed, after bupivacaine (Reynolds), 70 (c)
Respiratory depression, buprenorphine and benzodiazepines (Faroqui, Cole & Curran), 1002 (c)
Respiratory injury in the burned patient, role of flexible bronchoscopy (Clark *et al.*), 35
Respiratory obstruction after thyroidectomy (Duffy), 67 (c)
Resuscitation, cardiopulmonary, new methods or improved training? (Zideman), 837
Royal College of Surgeons of England, Faculty of Anaesthetists 85, 406, 715, 1014
Royal College of Surgeons in Ireland, Faculty of Anaesthetists 86, 407, 717, 1015
Royal Society of Medicine, Anaesthetic Section 86, 408, 717, 1015

Safe practice training (Cundy), 389 (c)
Safety of atropine premedication in children with Down's syndrome (Wark, Overton & Marian), 871
and the avoidance of breathing system disconnexions and misconnexions (Spurring & Small), 683
check procedures to eliminate faults in an anaesthetic machine (Health), 297 (c): (Holderness), 177 (c)
Scavenging system, gas, possible hazards (Jørgensen), 505 (c)
high-flow, problems (Houghton & Taylor), 292 (c)
Scoliosis correction and epidural analgesia (Malcolm-Smith: MacEvilly & Murphy: Purnell), 392 (c)
Sedation, new General Dental council guidance on general anaesthesia and (MacRae & Vickers), 805
and mechanical ventilation, another myth (Gilston), 595 (c)
Sedative agent, etomidate, in patients undergoing hip surgery under epidural anaesthesia (Birks, Edbrooke & Mundy), 295 (c)
Selectatec block, machine hazard (Cole *et al.*), 175 (c)
Self poisoning with formic acid (Rosewarne), 1104 (c)
Serotonin levels, circulation and respiration in carcinoid patients during neurolept anaesthesia (Törnebrandt *et al.*), 957
Servicing, routine, of the Cape-Waine ventilator (Judkins & Sage), 1102 (c)
Shivering, postoperative (Fry), 172 (c)
Side effect, late, of infusion of etomidate (Stanley & Madden), 809 (c)
Sodium nitroprusside and halothane, use of intravenous metoprolol as adjunct to, in hypotensive anaesthesia for operations on the ear, nose and parotid gland (Rollason, Kemp & Wills), 590 (f)
South Atlantic, anaesthesia (Bull & Tighe), 807 (c)
Sphincter of Oddi spasm, and narcotics, operative cholangiogram study (Chisholm *et al.*), 689 (f)
see also Oesophageal sphincter
Spinal anaesthesia, and barbotage (Nightingale), 7: (Nolte & Farrar), 811 (c): (Wildsmith & McClure: Nightingale), 695 (c)
phantom limb pain during, recurrence in amputees (Mackenzie), 886
and subdural haematoma (Jonsson, Einarsson & Olsson), 144
Spinal analgesia, comparison with general anaesthesia for lower limb amputation in the elderly (Mann & Bisset), 1185
delayed onset, after epidural analgesia (Soni & Russell), 74 (c)
isobaric bupivacaine and hyperbaric amethocaine (Tattersall), 115
Spinal cord injuries (Alderson), 605 (c): (Duke & Spreadbury), 507 (c)
Spray, explosive (Miller & Kruchek), 1101 (c)
Stellate ganglion block prevents visual damage in case of quinine overdose (Boscoe *et al.*), 669
Steroids, epidural, adrenal suppression following (Jacobs *et al.*), 953
mannitol and osmolality during renal transplantation, influences on plasma potassium (Charters), 327
Stethoscope, bilateral (Walker & Mathur), 164 (c)
Subarachnoid and epidural techniques, combined (Forster), 72 (c)
Subclavian catheter causing fatal thrombosis (Hansen & Christensen), 765
Subdural haematoma and spinal anaesthesia (Jonsson, Einarsson & Olsson), 144
Sublingual buprenorphine, pre-operative, and day-case dental anaesthesia (Ogg *et al.*), 534
Sublingual and intramuscular buprenorphine, intramuscular morphine and placebo as premedication, a comparison (O'Sullivan *et al.*), 977
Suicide amongst anaesthetists-in-training (Helliwell), 1097
'Superglue' for fixation of central venous catheters (Bamber & Lawler), 506 (c)
Supine position for chest X-ray? (Shaw & Saxton), 698 (c)

for pre-operative chest X-rays (Kubota), 165 (c)
Surgery, abdominal, major, comparison of epidural buprenorphine and morphine for pain relief after (Cahill *et al.*), 760
upper abdominal, comparison of anaesthetic and analgesic regimens for the morbidly obese (Buckley *et al.*), 840
and anaesthesia, and histamine and antihistamine (Thornton & Lorenz), 373
cardiopulmonary bypass and general, management of insulin dependent diabetes during (Thomas, Hinds & Rees), 1047
faciomaxillary, nasotracheal tube (Shanahan: Woods & Sherry: Read), 289 (c)
a follow-up (Read *et al.*), 601 (c)
hip, under epidural anaesthesia, etomidate as sedative agent (Birks, Edbrooke & Mundy), 295 (c)
prevention of air emboli (Jones & Ling: Pegg: Harvey & Smith), 68 (c)
in the neck, airway obstruction after (Bukht & Langford), 389 (c)
femoral, using a local anaesthetic technique (Howard *et al.*), 993 (f)
open heart, osmolal excretion after (Read & Manners), 1053
oral, prevention by beta-adrenergic blocker of cardiac dysrhythmia associated with general anaesthesia (Hanna, Heap & Kimberley), 1192
under regional analgesia with narcotics as single agents (Herrera-Hoyos), 509 (c)
thoracic, epidural analgesia following (Conacher *et al.*), 546
Surgical emphysema resulting from a ventilator malfunction (Hilton & Clement), 342
Surgical mortality, anaesthesia-related (Lunn, Hunter & Scott), 1090
Surgical procedure, non-cardiac, coronary artery spasm during (Briard *et al.*), 467
Suxamethonium apnoea associated with pregnancy and liver dysfunction in a treated cretin (Ferguson *et al.*), 567
lignocaine pretreatment, a clinicobiochemical study (Chatterji, Thind & Daga), 867
pains in outpatient children (Dinsdale), 291 (c)
induced rise in intra-ocular pressure, failure of diazepam to prevent (Feneck & Cook), 120
Sympathetic nervous system overactivity: labetalol in tetanus (Wesley *et al.*), 243
Systemic reaction caused by epidural bupivacaine 0.75% (Bhate), 71 (c)

Tension measurement of the rectus abdominis muscle (Goudsouzian & Welch), 442
Tetanus, continuous epidural block (Gullo, Romano & Mocavero), 817 (c)
labetalol in (Wesley *et al.*), 243
Tetracaine, hyperbaric, combined with intrathecal morphine (Takasaki & Asano), 76 (c)
Thermocoagulation, trigeminal nerve, anaesthesia for (Lowe *et al.*), 152 (f)
Thiopentone and etomidate, sequential use in anaesthesia for pregnancy termination (Cundy & Scott), 155 (f)
influence of haemoglobin and plasma urea levels on induction dose (Dundee & Hassard), 26
'induction' dose (Gilston), 509 (c): (Hull), 910 (c): (Dundee), 911 (c)
and meptazinol, precipitation between (Huddy & Durcan), 601 (c)
compared with midazolam; cardiovascular response to intubation (Boralessa, Senior & Whitwam), 623
for total intravenous anaesthesia (McLellan), 1109 (c)
Thoracic anaesthesia, etomidate infusion (Carli, Stribley & Clark), 784 (f)
Thoracic single-shot extradurals, useful needle (Conacher), 1010 (c)
Thoracic surgery, epidural analgesia following (Conacher *et al.*), 546
Thrombosis, fatal, after subclavian catheter (Hansen & Christensen), 765
Thyroidectomy, respiratory obstruction after (Duffy), 67 (c)
Torsade de pointes (Allberry), 910 (c)
a postoperative enigma (Alexander & Potgieter), 269
Trachea, difficulty of extubation at (Mishra & Scott), 811 (c)
Tracheal intubation practice, long-term, in the United Kingdom (Pippin, Short & Bowes), 791 (f)
Tracheal puncture, complication of percutaneous internal jugular vein cannulation (Konichezky, Saguib & Soroker), 572
Tracheal stenosis, congenital, failed intubation in (Goddard & Hughes), 346
resection, continuous intravenous anaesthesia with Althesin (Vyas, Lyons & Dundee), 132
Tracheal tube, double lumen, fiberoptic flexible bronchoscope and (Ovassapian), 1104 (c)
cuffs, effects of nitrous oxide on pressure changes following inflation with air and saline (Patel, Oh & Epstein), 44
tapered, Enderby, resistance (Hammond & Wright), 1007 (c)
Tracheostomy techniques for intensive care patients (Price), 902 (f)
tube, 'speaking', cuffed, misconnexion of (Feneck & Scott), 47
Training for anaesthesia, role of sub-specialties (Lunn), 527
and cardiopulmonary resuscitation (Zideman), 837
in intensive care (Bullock), 1222 (c): (Gilbertson), 702 (c): (Major & Savege: Telfer: Ryan), 1004 (c)
a questionnaire to trainees (Hillman, Hinds & Willatts), 540
programme for fibreoptic nasotracheal intubation, use of model and live patients (Ovassapian, Dykes & Golmon), 795 (f)

role of anaesthetists as seen by nurses in (Salmon), 801 (f)
for safe practice (Cundy), 389 (c)
suicide amongst anaesthetists-in-training (Helliwell), 1097
Transphenoidal cryoprobe used in pituitary cryoablation (Duthie *et al.*), 448
Transthoracic electrocoagulation, anaesthesia for (McFarlane & Finegan), 386 (c)
Transurethral resection, obturator nerve block (Yoshikawa, Tomi & Nosaka), 70 (c)
Travelling Fellowship, Intensive Care Society, 1984 (Thompson), 817 (c)
Trigeminal nerve thermocoagulation, anaesthesia (Lowe *et al.*), 152 (f)
thermocoagulation anaesthesia (Samuels & Brodsky), 912 (c)
is it ever necessary? (Ori & Salar), 1228 (c)
Trophoblastic disease and plasma cholinesterase (Davies, Carmichael & Dymond), 1071

Upper airway obstruction, possible mechanisms for pulmonary oedema (So), 810 (c)
Urinary catheter as a bronchial blocker (Conacher), 475
indwelling, at Caesarean section? (Linter), 818 (c)
Uterus, bicornuate, and aortocaval compression (Magee), 352

Valves, tight, and BOC cylinder keys (Smith), 1232 (c)
Vaporizers, air drawover, new, the 'PAC' series, laboratory and 'field' studies (Borland *et al.*), 852
failure (Milligan & Rodgers), 997 (c)
Vascular resistance during cardiopulmonary bypass (Putnam & Manners), 635
Vecuronium (Org NC 45) evaluation in paediatric anaesthesia (Ferres, Crean & Mirakhur), 943
Vein cannulation, internal, hydrothorax following (Sale), 1226 (c)
Venous catheters, central, cyano acrylate cement ('Superglue') for fixation (Bamber & Lawler), 506 (c)
length markings (Latto & Hebden), 171 (c)
Venous system, air aspiration from, during total hip replacement (Andersen), 1175
Ventilation, high frequency venturi jet (Blakeley & Embling), 167 (c)
home (Loh), 621
intermittent positive pressure, and nitrous oxide, anaesthesia for myringotomy, effects in children with secretory otitis media (Drake-Lee, Casey & Ogg), 314
mechanical, with air-oxygen mixtures during total intravenous anaesthesia, evaluation of Penlon Nuffield Series 400 ventilator (Davey & Riley), 355
and sedation, another myth (Gilston), 595 (c)
monitoring (Stewart & Gilbertson), 606 (c)
Ventilator, Cape-Waine, routine servicing (Judkins & Sage), 1102 (c)
Cape Waine 3, unexpected disconnexion of the gas supply (Rossiter: Sugg), 180 (c)
malfunction? (Vickers, Mecklenburgh & Bowen), 1107 (c): (Verheecke & Troch), 998 (c)
and resultant surgical emphysema (Hilton & Clement), 342
a solution (Bethune & Collis), 910 (c)
MIE Carden, description and assessment (Fletcher *et al.*), 1082
Penlon IDP, failure of alarm (Mecklenburgh *et al.*): Slee & Turner), 703 (c)
portable, under field conditions (Harries), 279
Ventilatory assistance, home (Dunkin), 644
Ventilatory response to morphine in young and old subjects (Arunasalam *et al.*), 529
Ventricular, left, failure in mitral stenosis (Jones & Jones), 66 (c)
Venturi jet ventilation, high frequency (Blakeley & Embling), 167 (c)

Water blankets, heated, dangers for small children (Smith), 1006 (c)
Wedge *see* Inflatable wedge
Whistle discriminator use (Footerman), 672
Work table, anaesthesia (Donchin & Katz), 812

X-rays, chest, pre-operative, in the supine position (Kubota), 165 (c)
supine position (Shaw & Saxton), 698 (c)

Young and old subjects, ventilatory response to morphine (Arunasalam *et al.*), 529

Zebulon Mennell, a pioneer of neurological anaesthesia (Hunter), 1214

Key Word Index, Volume 38 (1983)

Adrenal cortex, 953
Age factors, 529
Airway, 471
Allergy, 40, 147
Anaesthesia, 52, 158, 250, 314, 478, 485, 556, 784, 798, 840, 852, 871, 888, 931, 943, 1042, 1205, 1214
Anaesthetic gases, 319, 383, 672, 674
Anaesthetic techniques, 7, 10, 35, 56, 60, 96, 115, 132, 140, 144, 149, 152, 226, 250, 254, 282, 336, 350, 355, 435, 475, 481, 498, 560, 583, 586, 588, 590, 760, 862, 886, 937, 993, 1037, 1042, 1062, 1079, 1179, 1185
Anaesthetics, 44, 128, 784, 1079
Anaesthetics, intravenous, 26, 29, 132, 155, 623, 931, 968, 1158, 1183
Anaesthetics, local, 149, 1066
Anaesthetics, rectal, 60
Anaesthetics, volatile, 56, 237, 552
Analgesia, 10, 52, 1169
Analgesics, 103, 275, 438, 492, 529, 689, 977
Analgesics, local, 115
Analgesics, narcotic, 10, 19, 29, 534, 760, 937, 1037
Antagonists, miscellaneous, 275
Antagonists, narcotic, 103
Anticholinergics, 581
Arteries, 659

Barbotage, 7
Blood, 140, 254, 264, 556
Blood pressure, 103, 654, 1205
Brain, 498

Complications, 3, 26, 128, 144, 226, 230, 237, 250, 269, 336, 350, 352, 457, 461, 481, 485, 583, 588, 650, 662, 666, 689, 754, 765, 767, 840, 867, 888, 948, 968, 985, 989, 1047, 1066, 1079, 1090, 1183

Ear, 314
Education, 540, 801
Embolism, 1175
Enzymes, 567, 1071
Equipment, 47, 279, 342, 361, 495, 575, 672, 674, 683, 736, 767, 791, 795, 852, 892
Extradural, 972
Eye, 120, 883

Gases, 355
Gases, nonanaesthetic, 879, 1208
Gastrointestinal tract, 108, 324, 383
Genetic factors, 319

Heart, 269, 467, 560, 635, 883
Histamine, 108, 260, 324, 373
History, 578, 678, 1214
Hormones, 957, 1217
Hypnotics, 120, 898
Hypnotics, benzodiazepines, 1217, 1220

Immune response, 147
Induction, 1158
Infection, 243
Intensive care, 214, 492, 540, 754, 903
Intubation, 44, 475, 791, 795
Intubation, tracheal, 346, 623
Ions, 327, 1053

Kidney, 327, 628

Larynx, 457, 461
Liver, 662
Lung, 35, 136, 342, 452, 1208

Measurement techniques, 264, 332, 442, 788
Monitoring, 581, 957

Neuromuscular relaxants, 567, 867, 943, 1071

Obesity, 840
Oedema, 985
Organisation, 770, 776
Oxygen, 96, 736

Pain, 19, 448, 495, 546, 788, 862, 875, 886, 953, 1075
Pharmacology, 3, 435
Position, 332
Posture, 1169
Pregnancy, 989, 1071
Premedication, 438, 650, 871, 977, 1062, 1179, 1195, 1217
Recovery, 1158, 1162

Statistics, 628, 1090
Surgery, 132, 230, 260, 336, 471, 534, 546, 635, 654, 659, 666, 798, 903, 993, 1047, 1053, 1066, 1075, 1175, 1185, 1192
Sympathetic nervous system, 243, 590, 669, 1192

Temperature, 748
Toxicity, 669
Trachea, 346, 478

Uterus, 352

Veins, 380, 572, 765
Ventilation, 214, 355, 361, 644, 948